



WESTPORT OIL AND GAS COMPANY, L.P.

410 Seventeenth Street #2300 Deriver Colorado 60202-4436 Tolephone: 303 573 5404 Fax: 303 573 5609

February 1, 2002

Department of the Interior Bureau of Land Management 2850 Youngfield Street Lakewood, CO 80215-7093 Attention: Ms. Martha Maxwell

RE: BLM Bond CO-1203

BLM Nationwide Bond 158626364
Surety - Commental Casualty Company

Belco Energy Corporation merger into Westport Oil and Gas Company, Inc.

Conversion of Westport Oil and Gas Company, Inc., into Westport Oil and Gas Company, L.P.

Assumption Rider - Westport Oil and Gas Company, L.P.

Dear Ms. Maxwell:

Pursuant to our recent conversations, please find the following list of enclosures for the BLM's consideration and approval:

Two (2) Assumption Riders, fully executed originals.

Copies of Belco Energy Corporation merger into Westport Oil and Gas Company, Inc., Copies of Westport Oil and Gas Company, Inc., conversion into Westport Oil and Gas Company, L.P.

List of all Federal/BIA/State Leases - Beloo/Westport's leases - in all states.

Please inform us of any additional information needed to complete the change to Westport Oil and Gas Company, L.P., as operator of record.

I thank you for your assistance and cooperation in this matter. Please do not hesitate confacting the undersigned, should a question arise.

Sincerely,

Westport Oil and Gas Company, L.P.

Black

Debby J. Black

Engineer Technician

Encl:



Unit States Department of the Perior RECEIVED

BUREAU OF LAND MANAGEMENT

Utah State Office P.O. Box 45155 Salt Lake City, UT 84145-0155

DIVISION OF

FEB 2 2 2002

In Reply Refer To: 3106 UTU-25566 et al (UT-924)

FEB 2 1 2002

NOTICE

Westport Oil and Gas Company L.P.

Oil and Gas

410 Seventeenth Street, #2300

•

Denver Colorado 80215-7093

Name Change Recognized

Acceptable evidence has been received in this office concerning the name change of <u>Westport Oil</u> and <u>Gas Company, Inc.</u> into <u>Westport Oil</u> and <u>Gas Company, L.P.</u> with <u>Westport Oil and Gas Company, L.P.</u> being the surviving entity.

For our purposes, the name change is recognized effective December 31, 2001.

The oil and gas lease files identified have been noted as to the name change. The exhibit was compiled from a list of leases obtained from our computer program. We have not abstracted the lease files to determine if the entities affected by this name change hold an interest in the leases identified nor have we attempted to identify leases where the entities are the operator on the ground maintaining no vested recorded title or operating rights interests. We will be notifying the Minerals Management Service and all applicable Bureau of Land Management offices of the change by a copy of this notice. If additional documentation for changes of operator are required by our Field Offices, you will be contacted by them.

If you identify additional leases in which the entities maintain an interest, please contact this office and we will appropriately document those files with a copy of this Notice.

Due to the name change, the name of the principal/obligor on the bond is required to be changed from Westport Oil and Gas Company, Inc. to Westport Oil and Gas Company, L.P.. You may accomplish this either by consent of surety rider on the original bond or a rider to the original bond. The bonds are held in Colorado.

UTU-03405 UTU-20895 UTU-25566 UTU-43156 UTU-49518 UTU-49519 UTU-49522 UTU-49523

> Robert Lopez Chief, Branch of Minerals Adjudication

cc: Moab Field Office

Vernal Field Office

MMS, Reference Data Branch, MS3130, PO Box 5860, Denver CO 80217 State of Utah, DOGM, Attn: Jim Thompson (Ste. 1210), Box 145801, SLC UT 84114

Teresa Thompson (UT-922) Joe Incardine (UT-921)

UNITED STATES GOVERNMENT

memorand

Uintah & Ouray Agency

. 0

Date:

5 December, 2002

Reply to Attn of:

Supervisory Petroleum Engineer

Subject:

Modification of Utah Division of Oil, Gas and Mining Regulations

To

Director, Utah Division of Oil, Gas and Mining Division: John Baza

We have been advised of changes occurring with the operation of your database for Change of Operator. You will be modifying your records to reflect Change of Operator once you have received all necessary documentation from the companies involved, and perhaps in advance of our Notice of Concurrence/Approval of Change of Operator where Indian leases are involved.

We have no objection.

With further comment to Rulemaking, I wish to comment concerning the provision of Exhibits for upcoming Hearings. I would like to see the Uintah & Ouray Agency, BIA, and the Ute Indian Tribe, Energy & Mineral Resources Department added to the list of those parties that receive advance Exhibits so as to allow us to have research time prior to Hearing dates. We will be able to provide a more informed recommendation to the Oil, Gas and Mining Board. It would be best if we would receive only those Exhibits that concern Indian lands, specifically on or adjacent to Indian lands. This may be a difficult situation to attain, as it is not always clear where 'on or adjacent' occurs.

I am aware that you have gone to extra effort to correct this matter already, and I fully appreciate it. My request is intended only to allow the addition of Uintah & Ouray Agency and Ute Indian Tribe to the official listing.

We appreciate you concern, and hope that these comments are timely enough for consideration in the revision process. Charles H Cameron

CC:

Minerals & Mining Section of RES

Ute Energy & Mineral Resources Department: Executive Director

chrono



Form 3160-3 (August 1999)

DIV. OF OIL, GAS & MINING

FORM APPROVED OMB No. 1004-0136 Expires November 30, 2000

6. If Indian, Allottee or Tribe Name

UNITED STATES

DEPARTMENT OF THE INTERIOR

BUREAU OF LAND MANAGEMENT

5. Lease Serial No.

U-01196-A

U	U	1

APPLICATION FOR PERMIT TO DRILL OR REENTER

	• ·
BENTER	7. If Unit or CA Agreement, Name and No.
	Natural Buttes Linit
<u></u>	8. Lease Name and Well No.
Single Zone Multiple Zone	NBU #462
	9. API Well No.
	43-047-34839
3b. Phone No. (include area code)	10. Field and Pool, or Exploratory
(435)-781-7024	Natural Buttes
h any State requirements.*)	11. Sec., T., R., M., or Blk, and Survey or Area
1423230 Y 39.95045	
134231X -109.42848	Section 15-T10S-R22E
	Single Zone Multiple Zone 3b. Phone No. (include area code)

14. Distance in miles and direction from nearest town or post office*

At proposed prod. Zone 35.4 Miles Southeast of Ouray, Utah

12. County or Parish 13. State Uintah Utah

15. Distance from proposed* location to nearest property or lease line, ft. (Also to nearest drig. unit line, if any) Distance from proposed location* to nearest well, drilling, completed, applied for, on this lease, ft

Refer to

16. No. of Acres in lease 320.00

17. Spacing Unit dedicated to this well 40

20. BLM/BIA Bond No. on file

Topo C

19. Proposed Depth 67001

WY-3457

21. Elevations (Show whether DF, KDB, RT, GL, etc.) 5166'Ungraded GL

22. Approximate date work will start*

23. Estimated duration

Upon Approval

To Be Determined

24. Attachments

The following, completed in accordance with the requirements of Onshore Oil and Gas Order No. 1, shall be attached to this form:

- 1. Well plat certified by a registered surveyor.
- 2. A Drilling Plan.
- 3. A Surface Use Plan (if the location is on National Forest System Lands, the SUPO shall be filed with the appropriate Forest Service Office.
- Bond to cover the operations unless covered by an existing bond on file (see Item 20 above).
- 5. Operator certification.
- Such other site specific information and/or plans as may be required by the authorized office.

Name (Printed/Typed) Sheila Upchego 12/27/2002 Regulatory Analyst Name (Printed/Typed) ~06-D. Officenvironmental scientist III

Application approval does not warrant or certify that the applicant holds legal or equitable title to those rights in the subject lease which would entitle the applicant to conduct operations thereon.

Conditions of approval, if any, are attached.

Title 18 U.S.C. Section 1001 and Title 43 U.S.C. Section 1212, make it a crime for any person knowingly and willfully to make to any department or agency of the United States any false, fictitious or fraudulent statements or representations as to any matter within its jurisdiction.

*(Instructions on reverse)

EL PASO T10S, R22E, S.L.B.&M. PRODUCTION OIL & GAS COMPANY Well location, NBU #462, located as shown in Alum. Cap, Steel Post. Alum. Cap. the SE 1/4 NW 1/4 of Section 15, T10S, R22E. Steel Post. Pile of Stones 1991 Brass Cap, S.L.B.&M. Uintah County, Utah. Pile of Stones S89'49'16"E - 2619.75' (Meas.) S89°55′59"E - 2629.00' (Meas.) Steel Post BASIS OF ELEVATION TWO WATER TRIANGULATION STATION LOCATED IN THE NW 1/4 OF SECTION 1, T10S, R21E, S.L.B.&M. TAKEN FROM THE BIG PACK MTN NE, QUADRANGLE, UTAH, UINTAH COUNTY, 7.5 MINUTE QUAD. (TOPOGRAPHIC MAP) PUBLISHED BY THE UNITED STATES DEPARTMENT OF THE INTERIOR, GEOLOGICAL SURVEY. SAID ELEVATION IS MARKED AS BEING 5238 FEET. BASIS OF BEARINGS BASIS OF BEARINGS IS A G.P.S. OBSERVATION. W... 21. 20.00N 50,90,005 1729' NBU #462 Elev. Ungraded Ground = 5167' 1991 Brass Cap, 0.5' High, Pile of Stones Alum. Cap, Steel Post. Pile of Stones 40.00 (G.L.O.) 40.00 SCALE CERTIFICATE THIS IS TO CERTIFY THAT THE ABOVE PLAT WAS PREPARED FROM FIELD NOTES OF ACTUAL SURVEYS MADE BY ME OR UNDER MY N00.01 N00.02'W SUPERVISION AND THAT THE SAME ARE TRUE AND CORRECT TO THE BEST OF MY KNOWLEDGE AND BELIEF REGISTERED LAND SURVEYO REGISTRATION NO. 161319 STATE OF UTAH $N89^{\circ}56'W - 80.06 (G.L.O.)$ UINTAH ENGINEERING & LAND SURVEYING 85 SOUTH 200 EAST - VERNAL UTAH 84078 (435) 789-1017 LEGEND: SCALE DATE SURVEYED: DATE DRAWN: 1" = 1000'7-30-02 8-1-02 = 90' SYMBOL PARTY REFERENCES (NAD 83) K.K. K.G. C.G. G.L.O. PLAT = PROPOSED WELL HEAD. LATITUDE = 39.57.01.94" (39.950539)WEATHER **EL PASO PRODUCTION** LONGITUDE = 109'25'45.04" (109.429178) = SECTION CORNERS LOCATED. HOT OIL & GAS COMPANY

NBU #462 SE/NW Sec. 15, T10S,R22E UINTAH COUNTY, UTAH U-01196-A

ONSHORE ORDER NO. 1

DRILLING PROGRAM

1. Estimated Tops of Important Geologic Markers:

<u>Formation</u>	<u>Depth</u>
KB	5185'
Green River	1000'
Wasatch	4025'
Mesaverde	6350
TD	6700'

2. Estimated Depths of Anticipated Water, Oil, Gas, or Mineral Formations:

Substance	<u>Formation</u>	<u>Depth</u>
	Green River	1000'
Gas	Wasatch	4025'
Gas	Mesaverde	6350'
Water	N/A	
Other Minerals	N/A	

3. Pressure Control Equipment (Schematic Attached)

Please see the Natural Buttes Unit Standard Operating Procedure (SOP).

4. **Proposed Casing & Cementing Program:**

Please see the Natural Buttes Unit SOP.

5. Drilling Fluids Program:

Please see the Natural Buttes Unit SOP.

6. <u>Evaluation Program</u>:

Please see the Natural Buttes Unit SOP.

7. **Abnormal Conditions:**

Maximum anticipated bottomhole pressure calculated at 6700' TD, approximately equals 2680 psi (calculated at 0.4 psi/foot).

Maximum anticipated surface pressure equals approximately 1206 psi (bottomhole pressure minus the pressure of a partially evacuated hole calculated at 0.22 psi/foot).

8. Anticipated Starting Dates:

Drilling is planned to commence immediately upon approval of this application.

9. <u>Variances:</u>

Please see Natural Buttes Unit SOP.

10. Other Information:

Please see Natural Buttes Unit SOP.

NBU #462 SE/NW Sec. 15,T10S,R22E UINTAH COUNTY, UTAH U-01196-A

ONSHORE ORDER NO. 1

MULTI-POINT SURFACE USE & OPERATIONS PLAN

An onsite inspection was conducted for the NBU #462 on 9/12/02, for the subject well.

1. Existing Roads:

Refer to the attached location directions.

Refer to Topo Maps A and B for location of access roads within a 2-mile radius.

2. Planned Access Roads:

Please see the Natural Buttes Unit Standard Operating Procedure (SOP).

Approximately 0.1 Miles +/- of new access road is proposed. Refer to Topo Map B.

3. Location of Existing Wells Within a 1-Mile Radius:

Please refer to Topo Map C.

4. Location of Existing & Proposed Facilities:

Please see the Natural Buttes Unit SOP.

Approximately 3300' of pipeline is proposed. Refer to Topo Map D for the location of the proposed pipeline.

All facilities will be painted within six months of installation. Facilities required to comply with the Occupational Safety and Health Act (OSHA) will be excluded. The requested color is Carlsbad Canyon (2.5Y 6/2), a non-reflective earthtone.

5. Location and Type of Water Supply:

Please see the Natural Buttes SOP.

6. Source of Construction Materials:

Please see the Natural Buttes SOP.

7. Methods of Handling Waste Materials:

Please see the Natural Buttes SOP.

Any produced water from the proposed well will be contained in a water tank and will then be hauled by truck to one of the pre-approved disposal sites: RNI, Sec. 5, T9S, R22E, NBU #159, Sec. 35, T9S R21E, Ace Oilfield, Sec. 2, T6S, R20E, MC&MC, Sec. 12, T6S, R19E (Request is in lieu of filing Form 3160-5, after initial production).

8. Ancillary Facilities:

Please see the Natural Buttes SOP.

9. Well Site Layout: (See Location Layout Diagram)

The attached Location Layout Diagram describes drill pad cross-sections, cuts and fills, and locations of the mud tanks, reserve pit, flare pit, pipe racks, trailer parking, spoil dirt stockpile(s), and surface material stockpile(s).

Please see the attached diagram to describe rig orientation, parking areas, and access roads.

As per previous onsite discussion, a 12 mil reserve pit liner with felt will be required.

Location size may change prior to the drilling of the well due to the current rig availability. If the proposed location is not large enough to accommodate the drilling rig. The location will be resurveyed and a form 3160-5 will be submitted.

10. Plans for Reclamation of the Surface:

Please see the Natural Buttes SOP.

The following seed mixture will be used to reclaim the surface. A total of 12 lbs/acre will be used if the seeds are drilled (24 lbs/acre if the seeds are broadcast). The per acre requirements for *drilled* seed are:

Black Sage	1 lbs.
Indian Rice Grass	3 lbs
Shade Scale	5 lbs.
Galleta Grass	3 Ths.

11. Surface Ownership:

The well pad and access road are located on lands owned by:

United States of America Bureau of Land Management 170 South 500 East Vernal, UT 84078 (435)781-4400

12. Other Information:

A Class III archaeological survey will be submitted when the report becomes available.

This location is not within 460' from the boundary of the Natural Buttes Unit, nor is it within 460' of any non-committed tract lying within the boundaries of the Unit.

13. Lessee's or Operators's Representative & Certification:

Sheila Upchego Regulatory Analyst El Paso Production O&G Co. P.O. Box 1148 Vernal, UT 84078 (435) 781-7024 Scott Palmer
Drilling Manager
El Paso Production O&G Co.
9 Greenway Plaza, Suite 2770
Houston, TX 77046
(713) 420-4850

Certification: All lease and/or unit operations will be conducted in such a manner that full compliance is made with all applicable laws, regulations, Onshore Oil and Gas Orders, the approved Plan of Operations, and any applicable Notice to Lessees.

El Paso O&G Co. is considered to be the operator of the subject well. El Paso O&G Co. agrees to be responsible under the terms and conditions of the lease for the operations conducted upon leased lands.

The Operator will be fully responsible for the actions of its subcontractors. A complete copy of the approved "Application for Permit to Drill" will be furnished to the field representative(s) to ensure compliance and shall be on location during all construction and drilling operations.

I hereby certify that I, or persons under my supervision, have inspected the proposed drill site and access route, that I am familiar with the conditions that currently exist; that the statements made in this plan are, to the best of my knowledge, true and correct; and the work associated with the operations proposed herein will be performed by the Operator, its contractors, and subcontractors in conformity with this plan and the terms and conditions under which it is approved.

Sheila Upchego Date

EL PASO PRODUCTION OIL & GAS COMPANY NBU #462 SECTION 15, T10S, R22E, S.L.B.&M.

PROCEED IN A WESTERLY DIRECTION FROM VERNAL, UTAH ALONG U.S. HIGHWAY 40 APPROXIMATELY 14.0 MILES TO THE JUNCTION OF STATE HIGHWAY 88; EXIT LEFT AND PROCEED IN A SOUTHERLY DIRECTION APPROXIMATELY 17.0 MILES TO OURAY, UTAH: PROCEED IN A SOUTHERLY DIRECTION APPROXIMATELY 6.9 MILES TO THE JUNCTION OF THIS ROAD AND AN EXISTING ROAD TO THE SOUTH; TURN RIGHT AND PROCEED IN A SOUTHERLY DIRECTION APPROXIMATELY 2.2 MILES TO THE JUNCTION OF THIS ROAD AND AN EXISTING ROAD TO THE SOUTHEAST: TURN LEFT AND PROCEED IN A SOUTHEASTERLY DIRECTION APPROXIMATELY 2.4 MILES TO THE JUNCTION OF THIS ROAD AND AN EXISTING ROAD TO THE EAST: TURN LEFT AND PROCEED IN AN EASTERLY THEN SOUTHEASTERLY DIRECTION APPROXIMATELY 8.5 MILES TO THE JUNCTION OF THIS ROAD AND AN EXISTING ROAD TO THE NORTHEAST; TURN LEFT AND PROCEED IN A NORTHEASTERLY DIRECTION APPROXIMATELY 2.8 MILES TO THE JUNCTION OF THIS ROAD AND AN EXISTING ROAD TO THE EAST; TURN RIGHT AND PROCEED IN A EASTERLY DIRECTION APPROXIMATELY 0.6 MILES TO THE JUNCTION OF THIS ROAD AND AN EXISTING ROAD TO THE SOUTHEAST; TURN RIGHT AND PROCEED IN A SOUTHEASTERLY THEN EASTERLY DIRECTION APPROXIMATELY 0.6 MILES TO THE BEGINNING OF THE PROPOSED ACCESS ROAD TO THE SOUTH; FOLLOW ROAD FLAGS IN A SOUTHERLY DIRECTION APPROXIMATELY 0.1 MILES TO THE PROPOSED LOCATION.

TOTAL DISTANCE FROM VERNAL, UTAH TO THE PROPOSED WELL LOCATION IS APPROXIMATELY 55.1 MILES.

EL PASO PRODUCTION OIL & GAS COMPANY

NBU #462 LOCATED IN UINTAH COUNTY, UTAH SECTION 15, T10S, R22E, S.L.B.&M.




PHOTO: VIEW FROM CORNER #5 TO LOCATION STAKE

CAMERA ANGLE: NORTHERLY




PHOTO: VIEW FROM BEGINNING OF PROPOSED ACCESS

CAMERA ANGLE: SOUTHERLY




Uintah Engineering & Land Surveying
85 South 200 East Vernal, Utah 84078
435-789-1017 uels@uelsinc.com


LOCATION PHOTOS


8 13 02 ONTH DAY YEAR


РНОТО


TAKEN BY: K.K. DRAWN BY: K.G. REVISED: 00-00-00

















EOP STACK





WORKSHEET APPLICATION FOR PERMIT TO DRILL

APD RECEIVED: 12/30/2002	API NO. ASSIGNED: 43-047-34839
WELL NAME: NBU 462 OPERATOR: EL PASO PROD OIL & GAS (N1845) CONTACT: SHEILA UPCHEGO PROPOSED LOCATION: SENW 15 100S 220E SURFACE: 2077 FNL 1729 FWL BOTTOM: 2077 FNL 1729 FWL UINTAH NATURAL BUTTES (630) LEASE TYPE: 1 - Federal	PHONE NUMBER: 435-781-7024 INSPECT LOCATN BY: / / Tech Review Initials Date Engineering Geology Surface
LEASE NUMBER: U-01196-A SURFACE OWNER: 1 - Federal PROPOSED FORMATION: MVRD	LATITUDE: 39.95045 LONGITUDE: 109.42868
Plat Bond: Fed[1] Ind[] Sta[] Fee[] (No. WY-3457) Potash (Y/N) Y Oil Shale 190-5 (B) or 190-3 or 190-13 Water Permit (No. 43-8496) MRDCC Review (Y/N) (Date:) NA Fee Surf Agreement (Y/N)	LOCATION AND SITING: R649-2-3. Unit R649-3-2. General Siting: 460 From Qtr/Qtr & 920' Between Wells R649-3-3. Exception Drilling Unit Board Cause No: Eff Date: Siting: R649-3-11. Directional Drill
SOP, Separate File. STIPULATIONS: 1-Federal Appromo 2-012 SHALE	





Michael O. Leavitt Governor

Robert L. Morgan Executive Director

Lowell P. Braxton Division Director

1594 West North Temple, Suite 1210 PO Box 145801 Salt Lake City, Utah 84114-5801 (801) 538-5340 telephone (801) 359-3940 fax (801) 538-7223 TTY

January 6, 2003

El Paso Production Oil & Gas Company P O Box 1148 Vernal, UT 84078

www.nr.utah.gov

Re:

Natural Buttes Unit 462 Well, 2077' FNL, 1729' FWL, SE NW, Sec. 15, T. 10 South,

R. 22 East, Uintah County, Utah

Gentlemen:

Pursuant to the provisions and requirements of Utah Code Ann.§ 40-6-1 et seq., Utah Administrative Code R649-3-1 et seq., and the attached Conditions of Approval, approval to drill the referenced well is granted.

This approval shall expire one year from the above date unless substantial and continuous operation is underway, or a request for extension is made prior to the expiration date. The API identification number assigned to this well is 43-047-34839.

Sincerely,

Jøhn R. Baza Associate Director

pb

Enclosures

cc:

Uintah County Assessor

Bureau of Land Management, Vernal District Office



Operator:	El Paso Production Oil & Gas Company		
Well Name & Number	Natural Buttes U		
API Number:	43-047-34839		
Lease:	U-01196-A		
Location: SE NW	Sec. 15	T. 10 South	R. 22 East_

Conditions of Approval

1. General

Compliance with the requirements of Utah Admin. R. 649-1 *et seq.*, the Oil and Gas Conservation General Rules, and the applicable terms and provisions of the approved Application for permit to drill.

2. Notification Requirements

Notify the Division within 24 hours of spudding the well.

Contact Carol Daniels at (801) 538-5284.

Notify the Division prior to commencing operations to plug and abandon the well.

• Contact Dan Jarvis at (801) 538-5338

3. Reporting Requirements

All required reports, forms and submittals will be promptly filed with the Division, including but not limited to the Entity Action Form (Form 6), Report of Water Encountered During Drilling (Form 7), Weekly Progress Reports for drilling and completion operations, and Sundry Notices and Reports on Wells requesting approval of change of plans or other operational actions.

- 4. In accordance with Order in Cause No. 190-5(b) dated October 28, 1982, the Operator shall comply with requirements of Rules R649-3-31 and R649-3-27 pertaining to Designated Oil Shale Areas. Additionally, the operator shall ensure that the surface and/or production casing is properly cemented over the entire oil shale interval as defined by Rule R649-3-31. The Operator shall report the actual depth the oil shale is encountered to the Division.
- 5. State approval of this well does not supersede the required federal approval, which must be obtained prior to drilling.



United States Department of the Interior

BUREAU OF INDIAN AFFAIRS Washington, D.C. 20240

FEB 1 0 2003

Carroll A. Wilson Principal Landman Westport Oil and Gas Company, L.P. 1368 South 1200 East Vernal, Utah 84078

Dear Mr. Wilson:

This is in response to your request for approval of RLI Insurance Company's Nationwide Oil and Gas Lease Bond No. RLB0005239 executed effective December 17, 2002, (\$150,000 coverage) with Westport Oil and Gas Company, L. P., as principal.

This bond is hereby approved as of the date of this correspondence and will be retained in the Bureau of Indian Affairs' Division of Real Estate Services, 1849 C Street, NW, MS-4512-MIB, Washington, D.C. 20240. All Bureau oil and gas regional offices and the surety are being informed of this action.

In cases where you have existing individual and/or collective bonds on file with one or more of our regional offices, you may now request those offices, directly, to terminate in lieu of coverage under this Nationwide Bond.

Enclosed is a copy of the approved bond for your files. If we may be of further assistance in this matter, please advise.

Sincerely,

ACTING

Director, Office of Trust Responsibilities

Enclosure

5. LEASE DESIGNATION AND SERIAL NUMBER:

DEPARTMENT OF NATURAL RESOURCES DIVISION OF OIL, GAS AND MINING

SUNDRY NOTICES AND REPORTS ON WELLS	6. IF INDIAN, ALLOTTEE OR TRIBE NAME.	
Do not use this form for proposals to drill new wells, significantly deepen existing wells below current bottom hole depth, reenter plugged wells, or to drill horizontal laterals. Use APPLICATION FOR PERMIT TO DRILL form for such proposals.	7. UNIT or CA AGREEMENT NAME.	
OIL WELL GAS WELL OTHER	8. WELL NAME and NUMBER: Exhibit "A"	
2. NAME OF OPERATOR:	9. API NUMBER:	
El Paso Production Oil & Gas Company		
3. ADDRESS OF OPERATOR: 9 Greenway Plaza Houston TX 28, 77064-0995 (832) 676-5933	10. FIELD AND POOL, OR WILDCAT:	
4. LOCATION OF WELL		
FOOTAGES AT SURFACE:	COUNTY:	
QTR/QTR, SECTION, TOWNSHIP, RANGE, MERIDIAN:	STATE: UTAH	
11. CHECK APPROPRIATE BOXES TO INDICATE NATURE OF NOTICE, REPO	RT, OR OTHER DATA	
TYPE OF SUBMISSION TYPE OF ACTION		
NOTICE OF INTENT	REPERFORATE CURRENT FORMATION	
(Submit in Duplicate) ALTER CASING FRACTURE TREAT	SIDETRACK TO REPAIR WELL	
Approximate date work will start: CASING REPAIR NEW CONSTRUCTION	TEMPORARILY ABANDON	
CHANGE TO PREVIOUS PLANS PERATOR CHANGE	TUBING REPAIR	
CHANGE TUBING PLUG AND ABANDON	VENT OR FLARE	
SUBSEQUENT REPORT CHANGE WELL NAME PLUG BACK	WATER DISPOSAL .	
(Submit Original Form Only) CHANGE WELL STATUS PRODUCTION (START/RESUME)	WATER SHUT-OFF	
Date of work completion: COMMINGLE PRODUCING FORMATIONS RECLAMATION OF WELL SITE	OTHER:	
CONVERT WELL TYPE RECOMPLETE - DIFFERENT FORMATION	· ·	
12. DESCRIBE PROPOSED OR COMPLETED OPERATIONS. Clearly show all pertinent details including dates, depths, volume		
Operator change to Westport Oil and Gas Company, L.P., 1670 Broadway, Suite 28 effective December 17, 2002.	300, Denver, CO. 80202-4800,	
BOND #		
State Surety Bond No. RLB0005236		
Fee Bond No. RLB0005238	RECEIVED	
THE TARREST OF THE TA		
EL PASO PRODUCTION OIL & GAS COMPANY	FEB 2 8 2003	
	DIV. OF OIL, GAS & MINING	
By: my/C/		
Jon R. Nelsen, Attorney-in-Fact		
MISOTROPT ON AND CAS COMPANY I D		
WESTPORT OIL AND GAS COMPANY, L.P. David R. Dix Agent and Attorn	rey-in-Fact	
NAME (PLEASE PRINT)		
SIGNATURE CHIPM DATE 12/17/02		

(This space for State use only)



DEC 2 7 2002

BLM VERNAL, UTAH

Form 3160-3 (August 1999)

UNITED STATES

FORM APPROVED OMB No. 1004-0136 Expires November 30, 2000

1,3/02

DEPARTMENT OF THE	E INTERIO	R		5. Lease Serial No.	
BUREAU OF LAND MANAGEMENT				U-01196-A	
0 0 6 APPLICATION FOR PERMIT TO DRILL OR REENTER			'	6. If Indian, Allottee or T	ribe Name
T DEL	משעותי			7. If Unit or CA Agreeme	ent, Name and No.
1a. Type of Work: X DRILL REF	ENTER		•	Natural Buttes Uni	t
				8. Lease Name and Well	
b. Type of Well: Oil Well 👿 Gas Well Other	- 🔲 s	Single Zone	Multiple Zone	NBU #462	
2. Name of Operator				9. API Well No.	
El Paso Production Oil & Gas Company					1
Jii. Hadioss		o. (include area co	de)	10. Field and Pool, or Exploratory Natural Buttes	
P.O. Box 1148 Vernal, Utah 84078	(435)-781			11. Sec., T., R., M., or B	lk, and Survey or Area
4. Location of Well (Report location clearly and in accordance with At surface SENW 2077'FNL & 1729'FWL	any state requ	urements.*)		11. 500., 1., 10, 11, 5. 2.	,,
				Section 15-T10S-R	22E
At proposed prod. Zone 14. Distance in miles and direction from nearest town or post office*				12. County or Parish	13. State
35.4 Miles Southeast of Ouray, Utah				Uintah	Utah
15. Distance from proposed*	16. No. of A	cres in lease	17. Spacing Unit de	dicated to this well	
location to nearest property or lease line, ft. (Also to nearest drig. unit line, if any)			40		
	320.00	15 1	20. BLM/BIA Bond	No or file	
18. Distance from proposed location* to nearest well, drilling, completed, applied for, on this lease, ft Refer to Topo C	19. Proposed 6700 '	d Depth	WY-3457	140. on the	
21. Elevations (Show whether DF, KDB, RT, GL, etc.)	22 Approxi	mate date work wi	ll start*	23. Estimated duration	
5166'Ungraded GL	Upon Ap			To Be Determined	
5100 Oligitada GE		Attachments			
			hall be attached to this	form:	
The following, completed in accordance with the requirements of On	SHOLE OIL AND				
1. Well plat certified by a registered surveyor.		4. Bond to co	ver the operations un	lless covered by an existing	bond on file (see
2. A Drilling Plan.		Item 20 ab	ove).		
3. A Surface Use Plan (if the location is on National Forest System I	ands, the	5. Operator ce	rtification.		•
SUPO shall be filed with the appropriate Forest Service Office.		6. Such other	site specific informati	on and/or plans as may be re	equired by the
••••		authorized	office.	·	
25 Signaturé	Naı	me (Printed/Typed	DEC	EIVED Dat	
Thus working	Sh	eila Upchego	, HEU		12/27/2002
Title Regulatory Analyst			MAR	3 2003	<u> </u>
Approfest by (Signature)	Naı	me (<i>Printed/Typed</i>)	, GAS & MINING 62	te//
Thurse B Volumes	! ! _		DIV. OF OIL	, GAS & IIII / 02	127/2003
Assistant Field Manager	Offi	ce		•	
Mineral Resources	<u> </u>				
Application approval does not warrant or certify that the applicant ho	olds legal or eq	uitable title to thos	se rights in the subject	lease which would entitle the	he applicant to conduct
operations thereon.			NOTI	CE OF APPRO	VAL
Conditions of approval, if any, are attached.					
Title 18 U.S.C. Section 1001and Title 43 U.S.C. Section 1212, make	e it a crime for	any person knowin	ngly and willfully to m	ake to any department or ag	gency of the United
States any false, fictitious or fraudulent statements or representations	as to any mat	ter within its juriso	iction.		

*(Instructions on reverse)

CONDITIONS OF APPROVAL ATTACHED

02P50535AE

COAs Page 1 of 3 Well No.: NBU 462

CONDITIONS OF APPROVAL APPLICATION FOR PERMIT TO DRILL

Company/Operator: El Paso Production Oil & Gas Corp.
Well Name & Number: <u>NBU 462</u>
Lease Number: <u>U-01196A</u>
Location: SENW Sec. 15 T.10S R. 22E
API Number 43-047-34839
Agreement: Natural Buttes

For more specific details on notification requirements, please check the Conditions of Approval for Notice to Drill and Surface Use Program.

CONDITIONS OF APPROVAL

Approval of this application does not warrant or certify that the applicant holds legal or equitable title to those rights in the subject lease which would entitle the applicant to conduct operations thereon.

Be aware fire restrictions may be in effect when location is being constructed and/or when well is being drilled. Contact the appropriate Surface Management Agency for information.

A. <u>DRILLING PROGRAM</u>

1. <u>Estimated Depth at Which Oil, Gas, Water, or Other Mineral Bearing Zones are Expected</u> to be Encountered

Report <u>ALL</u> water shows and water-bearing sands to John Mayers of this office prior to setting the next casing string or requesting plugging orders. Faxed copies of State of Utah form OGC-8-X are acceptable.

2. Casing Program and Auxiliary Equipment

As a minimum requirement, the cement behind the production casing must extend a minimum of 200' above the top of the Green River formation which has been identified at ± 1272 '.

COAs Page 2 of 3 Well No.: NBU 462

3. Coring, Logging and Testing Program

Cement Bond Logs will be required from TD to the surface casing shoe.

Daily drilling and completion progress reports shall be submitted to this office on a weekly basis.

Please submit to this office, in LAS format, an electronic copy of all logs run on this well This submission will replace the requirement for submittal of paper logs to the BLM.

APD approval is valid for a period of one (1) year from the signature date. An extension period may be granted, if requested, prior to the expiration of the original approval period.

In the event after-hours approvals are necessary, you must contact one of the following individuals:

Ed Forsman

(435) 828-7874

Petroleum Engineer

Kirk Fleetwood

(435) 828-7875

Petroleum Engineer

BLM FAX Machine (435) 781-4410

COAs Page 3 of 3 Well No.: NBU 462

CONDITIONS OF APPROVAL

For The Surface Use Program Of The Application For Permit To Drill

- A plastic liner and a felt liner shall be used in the reserve pit.
- The seed mix for this location shall be:

Shadscale	Atriplex confertifolia	5 lbs./acre
Indian Ricegrass	Oryzopsis hymenoides	3 lbs./acre
Black Sagebrush	Artemisia nova	1 lb./acre
Galleta grass	Hilaria jamesii	3 lbs./acre

-All poundages are in pure live seed.

-Reseeding may be required if first seeding is not successful.

- 4 to 6 inches of topsoil should be stripped from the location and windrowed as shown on the cut sheet. The topsoil shall then be broadcast seeded with the recommended seed mix immediately after it has been windrowed and the seed walked into the soil with a dozer.
- The topsoil from the reserve pit should be stripped and piled separately near the reserve pit. When the reserve pit is closed, it shall be recontoured and the topsoil respread, and the area shall be seeded in the same manner as the location topsoil.
- Once the location is plugged and abandoned, it shall be recontoured to natural contours, topsoil respread where appropriate, and the entire location seeded with the recommended seed mix. Seeding should take place by broadcasting the seed and walking it into the soil with a dozer immediately after the dirt work is completed.

Form 3 160-5 (August 1999)

UNITED STATES RTMENT OF THE INTERIOR BUREAU OF LAND MANAGEMENT

SUNDRY NOTICES AND REPORTS ON WELLS

Do not use this form for proposals to drill or reenter an Bhandonad wall it.

FORM AFFROVED
OMB No. 1004-0135
Expires Jacovamber 30, 2000

5. Loase Serial No.

SEE ATTACHED EXHIBIT "A"

6.	If Indian,	Allottee or	Tribe Name
----	------------	-------------	------------

	u. Use Form 3160-3 (AP	D) for such proposal	\$.		
SUBMIT IN TRIF	7. If Unit or CA/Agreement, Name and/or No				
. Type of Well					
Oil Well & Gas Well	Other				
Name of Operator				8. Well Name and No.	
VESTPORT OIL & GAS C	OMPANY I D			SEE ATTACHED EXHIBIT "A"	
Address		100 00 00 00		9. API Well No.	
.O. BOX 1148 VERNAL,	i IT RANZA			SEE ATTACHED EXHIBIT "A" 10. Field and Pool, or Exploratory Area	
Location of Well (Footage, Sec.	TR Was Grown David				
	a - a va. m., or our vey Descript	ion)			
EE ATTACHED EXHIBIT	MVA			11. County or Parish, State	
	^			UINTAH COUNTY, UT	
12. CHECK AP	PROPRIATE BOX(ES) TO	INDICATE NATIOE O	PAGMOR D	EPORT, OR OTHER DATA	
TYPE OF SUBMISSION			OF ACTION		
Notice of Intent		1170	OF ACTION		
Subsequent Report	Acidize Alter Casing Casing Repair	Deepen Fracture Treat New Construction	Production (Reclamation Recomplete	C non megaty	
Final Abandonment Notice	Change Plans Convert to Injection	Plug and Abandon Plug Back	Temporarily Water Dispo	Abandon SUCCESSOR OF	

following completion of the involved operations. If the operation results in a multiple completion or recompletion in a new interval, a Form 3160-4 shall be filed testing has been completed. Final Abandonment Notices shall be filed only after all requirements, including reclamation, have been completed, and the operator determined that the site is ready for final inspection. WESTPORT OIL & GAS COMPANY, L.P., IS CONSIDERED TO BE THE OPERATOR ON THE ATTACHED DESCRIBED LANDS AND IS RESPONSIBLE UNDER THE TERMS AND CONDITIONS OF THE LEASE FOR THE OPERATIONS CONDUCTED ON THE LEASED LANDS OR PORTIONS THEREOF, BOND COVERAGE FOR THIS WELL IS PROVIDED BY FEDERAL NATIONWIDE BOND NO. 158626364, EFFECTIVE FEBRUARY 1, 2002, AND BIA NATIONWIDE

BOND NO. RLB0005239, EFFECTIVE FEBRUARY 10, 2003.

RECEIVED

MAR N & 2002

		ויוחיו	11 0 7 2003
14. I hereby certify that the foregoing is true and correct Name (Printed/Typed) CHERYL CAMERON OPI Signature Date	ERATIONS	DIW. QF-()It. GAS & MINING
Mar Mar	ch 4, 2003		
THIS SPACE FOR FE	EDERAL OR STATE	USE	
Approved by	Title	Date	
Conditions of approval, if any, are attached Approval of this notice does not warrant or certify that the applicant holds legal or equitable title to those rights in the subject lease which would entitle the applicant to conduct operations thereon.			
Title 18 U.S.C. Section 1001, make it a crime for any person knowingly an false, fictitious or fraudulent statements or representations as to any matter with	id willfully to make to	any department or agency of the Unite	ed States any
(Instructions on reverse)	inim its jurisaliction.		· ·

OPERATOR CHANGE WORKSHEET

005

X Change of Operator (Well Sold) Designation of Agent/Operator

Operator Name Change

Merger

ROUTING

1. GLH 2. CDW 3. FILE

The operator of the well(s) listed below has changed,	effective:	12-17-02				
FROM: (Old Operator):		TO: (New O	perator):			
EL PASO PRODUCTION OIL & GAS COMPANY	1	WESTPORT C	•	COMPANY	LP	
Address: 9 GREENWAY PLAZA	1	Address: P O B				
Tradition of Carlot Williams	1					-
HOUSTON, TX 77064-0995	1	VERNAL, UT	84078			
Phone: 1-(832)-676-5933	1	Phone: 1-(435)	-781-7023			
Account No. N1845	1	Account No.	N2115			
CA No.		Unit:			•	
WELL(S)						
	SEC TWN	API NO	ENTITY		WELL	B :
NAME	RNG		NO	TYPE	TYPE	STATUS
NBU 462		43-047-34839		FEDERAL		APD
NBU 463		43-047-34840		FEDERAL		APD
NBU 464	15-10S-22E	43-047-34841	99999	FEDERAL		APD
NBU 465	29-10S-22E	43-047-34860	99999	FEDERAL		APD
FEDERAL 29-10-22	29-10S-22E	43-047-34861	99999	FEDERAL	GW	APD
FEDERAL 31-10-22	31-10S-22E	43-047-34862	99999	FEDERAL	GW	APD
STATE 2-32	32-10S-22E	43-047-34831	99999	STATE	GW	APD
STATE 3-32	32-10S-22E	43-047-34832	99999	STATE	GW	APD
STATE 4-32	32-10S-22E	43-047-34863	99999	STATE	GW	APD
NBU 472	32-10S-22E	43-047-34896	99999	STATE	GW	APD
BONANZA 6-2	06-10S-23E	43-047-34843	99999	FEDERAL	GW	APD
BONANZA 9-5	09-10S-23E	43-047-34866	99999	FEDERAL	GW	APD
BONANZA 10-2	10-10S-23E	43-047-34704	99999	FEDERAL	GW	APD
BONANZA 10-3	10-10S-23E	43-047-34728	99999	FEDERAL	GW	APD
UTE TRIBAL 15-25	25-04S-01E	43-047-34311	99999	INDIAN	GW	APD
				l	<u> </u>	
					<u> </u>	
OPERATOR CHANGES DOCUMENTATION						
Enter date after each listed item is completed						
1. (R649-8-10) Sundry or legal documentation was received	from the FOR	MER operator	on:	02/28/2003	•	
2. (R649-8-10) Sundry or legal documentation was received	from the NEV	V operator on:	03/04/2003	3		
3. The new company has been checked through the Departm	ent of Comm	erce, Division o	of Corpora	tions Datab	ase on:	03/06/2003
4. Is the new operator registered in the State of Utah:	YES	Business Numb	oer:	1355743-018	<u>3</u> 1	

5. If NO, the operator was contacted contacted on:			
6. (R649-9-2)Waste Management Plan has been received on	n: IN PLACE	·	
7. Federal and Indian Lease Wells: The BLM a or operator change for all wells listed on Federal or Ind			ne change, 12/5/02
8. Federal and Indian Units: The BLM or BIA has approved the successor of unit	operator for wells listed on:	02/27/2003	
9. Federal and Indian Communization Agree The BLM or BIA has approved the operator for all w	•	01/09/2003	V
10. Underground Injection Control ("UIC") for the enhanced/secondary recovery unit/project for the			sfer of Authority to Inject,
DATA ENTRY: 1. Changes entered in the Oil and Gas Database on:	03/28/2003	- 	7
2. Changes have been entered on the Monthly Operator	Change Spread Sheet on:	03/28/2003	u.*
3. Bond information entered in RBDMS on:	N/A		roci
4. Fee wells attached to bond in RBDMS on:	N/A		i
STATE WELL(S) BOND VERIFICATION: 1. State well(s) covered by Bond Number:	RLB 0005236	: · · · · · · · · · · · · · · · · · · ·	:
FEDERAL WELL(S) BOND VERIFICATION 1. Federal well(s) covered by Bond Number:	158626364		3
INDIAN WELL(S) BOND VERIFICATION: 1. Indian well(s) covered by Bond Number:	RLB 0005239		
FEE WELL(S) BOND VERIFICATION: 1. (R649-3-1) The NEW operator of any fee well(s) listed	covered by Bond Number	RLB 0005238	
2. The FORMER operator has requested a release of liability. The Division sent response by letter on:	ity from their bond on: N/A	N/A	i.
LEASE INTEREST OWNER NOTIFICATION 3. (R649-2-10) The FORMER operator of the fee wells have of their responsibility to notify all interest owners of this	s been contacted and informe	d by a letter from the l	Division
COMMENTS:		· · · · · · · · · · · · · · · · · · ·	
	· · · · · · · · · · · · · · · · · · ·		

,

.



WESTPORT OIL AND GAS COMPANY, L.P.

1670 Broadway Suite 2800 Denver Colorado 80202 Telephone: 303 573 5404 Fax: 303 573 5609

July 31, 2003

Ms. Diana Mason Division of Oil, Gas and Mining P.O. Box 145801 Salt Lake City, UT 84114-6100

RE:

Exception Location

NBU #462

6,700' Wasatch Well

2,077' FNL, 1,729 FWL (SENW) Sec 15-T10S-R22E

Uintah County, Utah Natural Buttes Prospect

Dear Ms. Mason:

Westport Oil and Gas Company received a permit to drill the captioned well. The NBU #462 well is located at an exception location due to topographic reasons. The well is located outside the boundary of the Natural Buttes Unit and should be located under General Siting Rule 649-3-3. Westport Oil and Gas Company owns all the working interest in the tract that is being impeded (SWNW Sec 15) and has no objection to the exception location. Westport requests this letter be placed in the well file to complete your records on the drilling permit for this exception location.

If you have any questions, call me at 303-607-3445. Thank you for your assistance.

Sincerely

Bruce E. Johnstor

Land Manager ^L

BEJ/152

cc: Cheryl Cameron

RECEIVED

AUG 0 4 2003

DIV. OF OIL, GAS & MINING

Form 3160-5 (August 1999):

UNITED STATES DEPARTM OF THE INTERIOR **BUREAU OF LAND MANAGEMENT**

SUNDRY NOTICES AND REPORTS ON WELLS

FORM APPROVED OMB No. 1004-0135 Expires Jnovember 30, 2000

5.	Lease	Serial	No.	

Aulti	nle	We	عاد - عاد	atte

	Y NOTICES AND REPOR			Multiple Wells -	see attached
	o not use this form for proposals to drill or reenter an andoned well. Use Form 3160-3 (APD) for such proposals. 6. If Indian, Allottee or Tribe Name				or Tribe Name
	SUBMIT IN TRIPLICATE - Other instructions on reverse side 1. Type of Well				
Oil Well Gas Well	Other			8. Well Name and N	-
2. Name of Operator				Multiple Wells -	
WESTPORT OIL & GAS COM	IPANY, L.P.			9. API Well No.	
3a. Address		3b. Phone No. (include	area code)	Multiple Wells -	see attached
P.O. BOX 1148 VERNAL, UT	84078	(435) 781-	an our couley	10. Field and Pool, or	
4. Location of Well (Footage, Sec., T.,	R., M., or Survey Description)	<u> </u>		Natural Buttes U	
Multiple Wells - see attached	. ,			11. County or Parish,	
105 2)E 15	43047			Uintah County, l	JT
12. CHECK A	PPROPRIATE BOX(ES) TO	O INDICATE NATURE	OF NOTICE, RE	PORT, OR OTHER	DATA
TYPE OF SUBMISSION		TY	PE OF ACTION		
Subsequent Report Final Abandonment Notice 13. Describe Proposed or Completed Oper If the proposal is to deepen directional	Acidize Alter Casing Casing Repair Change Plans Convert to Injection ations (clearly state all pertinent	Deepen Fracture Treat New Construction Plug and Abandon Plug Back details, including estimate	Reclamation Recomplete Temporarily Water Dispos	Abandon sal	Water Shut-Off Well Integrity Other pproximate duration thereof.
Attach the Bond under which the wor following completion of the involved of testing has been completed. Final Ab determined that the site is ready for final	k will be performed or provide operations. If the operation resultandonment Notices shall be file.	the Bond No. on file with lits in a multiple completion	BLM/BIA. Require	ed subsequent reports s	hall be filed within 30 days
Westport Oil & Gas requests a variance	e to Onshore Order No. 4. Pa	rt IIIC.a. requiring each s	ales tank he equin	ned	
with a pressure-vacuum thief hatch and					a chrunk
condensate will not payout the increme	ntal cost of purchasing and m	naintaining the valve resu	iting in a loss of va	alue over the produci	ng life of the well.
The volume lost to shrinkage by droppi of a representative sample from the fiel The average NBU well produces appromonth lost volume due to shrinkage. The and maintaining the valves and other de Westport Oil & gas requests approval of	ng the tank pressure from 6 or d. The sample shrunk from 90 ximately 6 bbls condensate pone value of the shrunk and lose evices that hold the positive to f this variance in order to incr	ezs. to 0 psig is shown to 8.82% of oringinal volume er month. The resulting sit condensate does not reank pressure. An econom	be 0.3% of the tan to 98.52% when nrinkage would an coup or payout the ic run based on th	the pressure was dro nount to 0.56 bbls per e cost of installing te loss and costs is a	determined by lab analysis opped. r ttached.
14. I hereby certify that the foregoing is to Name (Printed/Typed) J.T. Conley Signature	COPY SENT TO OPE	Pote 1		tions Manager	SEP 1 0 2003
. / . / // / / / / / / / / / / / / / /) Part	7-7-2	.5.	Y OF OIL GARRIEN

Federal Approval Of This Action is Necessary **Utah Division of** Conditions of approval, if any, are attached. Approval of this notice does not warrant or certify that the applicant holds legal or equitable title to those rights in the subject lease which would entitle the applicant to conduct operations thereon. Office

Date:

Title 18 U.S.C. Section 1001, make it a crime for any person knowingly and milifully to make it false, fictitious or fraudulent statements or representations as to any matter within its jurisdiction. de partment or agency of the United States any

THIS SPACE FOR FEDERAL OR STATE

Title

Approved by

Westport Oil & G						
Project Economi						
Instructions:	fill in blue I		and after project data. omatically at the botto	The evaluation results m of the page. This sheet		
				as. See JTC for changes.		
			r as unit OPX costs for \$			
Project Name:	Condensate the	inkage Economics				
rioject rame.	Condendue 31	nikage Economics	- 			
Is this job a w	ell pull or production	n rig job ??? N	(Y or N)			
		BEFORE	AFTER	DIFFERENCE		
Gross Oil R	evenue	\$/Year \$1,088	\$/Year \$1,099	\$/Year		
Gross Gas		\$0	\$1,077	\$11		
NGL Rever	nue	\$0	\$0	\$0		
	NT SERVICE			\$0		
WIRELINE S				\$0		- 1
COMPANY	QUIP REPAIRS			\$0		1
CONTRAC		\$0	\$200	\$200		
CONTR SER				\$0		
LEASE FUEL		\$0	\$0	\$0		
UTILITIES - E CHEMICAL		\$0	\$0	\$0		
MATERIAL &		\$0	\$150	\$0 \$150		
WATER & H	AULING			\$0		i
	ATIVE COSTS			\$0		
GAS PLANI	PROCESSING Totals			\$0	any n	1
	loidis	\$0	\$350	\$350 Incred	sed OPX Per Year	
Investmen	Breakdown:]
	Cap/Exp			3.00 \$/BO		Ì
Canital	Code	Cost, \$		3.10 \$/MCF		}
Capital \$ Expense \$	820/830/840 830/860	\$1,200 \$0	Electric Cost \$ OPX/BF \$	- \$ / HP / day 2.00 \$/BF		1
Total \$	330,500	\$1,200		0.62 \$/MCF		
	-				*	
Production	on & OPX Detail:	. •				f
Oll Product		0.192 BOPD	After 0.194 BOPD	0.002 BOPD		
Gas Produc	· · · L	0 MCFPD	0.174 BOPD			Į.
Wtr Produc	L.	0 BWPD	0 BWPC			
Horse Powe	* T	HP	НР	0 HP		
Fuel Gas Bu	rmed	MCFPD	MCFF	D MCFPD		
						[
Project Life	:		Payo	ut Calculation:		
	Life =	20.0 Years	Ţ			-
	(Life no k	enger than 20 years)	Paya			
Internal Ra	te of Return:			Sum(OPX + Increm	enial Revenue)	
After Tax	IROR =	#DIV/0!	Payo	ut occurs when total AT cas	hflow equals investment	
			See	graph below, note years who	en cashflow reaches zero	İ
AT Cum Co	_	(00.000)		. NEVER	- W	
Operating (Cashriow = L	(\$2,917) (Discou	unted @ 10%) Payo	ut = NEVER Years	or #VALUE! Days	l
Gross Rese						
Oil Reserve		6 BO				- 1
Gas Reserv Gas Equiv I		0 MCF 38 MCFE				- 1
		OU MOIL				
Notes/Assumptions:		<u> </u>				1
An average	NBU well produce:	0.192 Bcpd with no	tank pressure. The pro-	duction is increased to 0.196	Bcpd if 6 ozs of pressure	-1
GIE DIUCEU	on me lunk, me inc		uoes not puyout me vo	ive cost or the estimated an	ilvai maintenance costs.	-
		Bust 1 C				-
		rroject: Conde	nsate Shrinkage Econo	mics		
\$0 +		_ 				
(\$500)						
ž						
울 (\$1,000)						
8 (4: con)						
g (\$1,500)						
雪 (\$2,000)						
E (72,000)			41			
(\$1,000) (\$1,500) (\$2,500)						
¥						
(\$3,000)						
/45						
(\$3,500)			7 0 7 7	44 49 45 44 1		
0	1 2 3	4 5 6	7 8 9 10	11 12 13 14 1	5 16 17 18 19	20
1			Project Y	ear		ı

Westport Oil and Gas, Inc. NBU/Ouray Field

RFL 2003-022

COMPARISON OF FLASH BACK PRESSURES

Calculated by Characterized Equation-of-State

Fla	ash	Gas/Oil	Specific	Separator	Separator
Cond	litions	Ratio	Gravity of	Volume	Volume
1		(scf/STbbl)	Flashed Gas	Factor	Percent
psig	°F	(A)	(Air=1.000)	(B)	(C)
Calculated	l at Labora	tory Flash Condi	itions		
80	70			1.019	
0	122	30.4	0.993	1.033	101.37%
0	60	0.0	***	1.000	98.14%
Calculated	Flash witi	h Backpressure t	using Tuned EOS	S	
80	70			1.015	
6.0 oz	65	24.6	0.777	1.003	98.82%
0	60	0.0		1.000	98.52%
80	70			1.015	
4.0 oz	65	24.7	0.778	1.003	98.82%
0	60	0.0		1.000	98.52%
80	70			1.015	
2.0 oz	65	24.7	0.779	1.003	98.82%
0	60	0.0		1.000	98.52%
80	70			1.015	
0	65	24.8	0.780	1.003	98.82%
0	60	0.0		1.000	98.52%
•	-	0.0		7.000	00.0270

Note: Bubblepoint of sample in original sample container was 80 psig at 70° F with 1 cc water

⁽A) Cubic Feet of gas at 14.696 psia and 60 °F per Barrel of Stock Tank Oil at 60 °F.

⁽B) Barrels of oil at indicated pressure and temperature per Barrel of Stock Tank Oil at 60 °F.

⁽C) Oil volume at indicated pressure and temperature as a percentage of original saturated oil volume.

WELL	LEGALS	STFLEASENO	CANUMBER	APINO
NBU 419	21-10-21 NWNE	U02278	891008900A	430473437600S1
NBU 420	20-10-21 SESE	UTU02278	891008900A	430473437700S1
NBU 421	20-10-21 NESE	UTU02278	891008900A	430473437800S1
NBU 422	29-10-22 SWSE	UTU469	891008900A	430473441400S1
NBU 423	29-10-22 NWSE	UTU469	891008900A	430473441500S1
NBU 424	29-10-22 NESW	UTU0145824	891008900A	430473441600S1
NBU 425	11-10-21 SENE	UTU01190	891008900A	430473441000S1
NBU 426	11-10-21 SWNE	UTU01190	891008900A	430473441100S1
NBU 427	11-10-21 NWNE	UTU01190	891008900A	430473441800S1
NBU 428	33-9-21 NWSW	UTU015630ST	891008900A	430473470900S1
NBU 434	14-10-21 SENE	UTU465	891008900A	430473448100S1 🗸
NBU 435	28-9-21 NWNW	UTU0576	891008900A	430473480500S1
NBU 436	30-9-21 SWNE	UTU0581	891008900A	430473478000S1
NBU 438	33-9-21 SWNW	UTU015630-ST	891008900A	430473478700S1
NBU 439	34-9-21 NENW	UTU01194-A-ST	891008900A	430473478600S1 √
NBU 440	34-9-21 SWNW	UTU01194-A-ST	891008900A	430473478500S1
NBU 441	35-9-21 NWNW	UTU01194-A-ST	891008900A	430473479100S1
NBU 442	35-9-21 NWSW	UTU01194-A-ST	891008900A	430473478800\$1
NBU 443	35-9-21 SENW	UTU01194-ST	891008900A	430473478900S1
NBU 444	1-10-21 SWSW	UTU02842B	891008900A	430473479600S1
NBU 445	30-9-21 NWSE	UTU0581	891008900A	430473486700S1
NBU 446	8-9-21 SENW	UTU0149767	891008900A	430473462100S1 V
NBU 448	22-9-20 NWSW	UTU0577B	891008900A	430473478200S1
NBU 452	8-9-21 SWNE	UTU0149767	891008900A	430473487500S1
NBU 453	8-9-21 NWSE	UTU0575B	891008900A	430473481600\$1
NBU 454	28-9-21 NWSE	UTU0576	891008900A	430473469800S1 🗸
NBU 455	29-9-21 SWSE	UTU0581	891008900A	430473469900S1 J
NBU 456	22-9-21 SESW	UTU010950A	891008900A	430473481800S1
NBU 457	22-9-21 NESE	UTU010950A	891008900A	430473481700S1
NBU 458	23-9-21 SENW	UTU0149075	891008900A	430473481900S1
NBU 459	27-9-21 NESE	UTU01194A-ST	891008900A	430473468000S1 V
NBU 460	30-9-21 SENE	UTU0581	891008900A	430473469700S1 J
NBU 461	14-10-22 SWNE	U01197A-ST	891008900A	430473482300S1
NBU 462	15-10-22 SENW	U-01196-A	891008900A	430473483900S1 🗸
NBU 463	15-10-22 NWNE	UTU025187	891008900A	430473484000S1
NBU 464	15-10-22 NENW	U025187	891008900A	430473484600S1
NBU 465	29-10-22 NWSW	SL070220A	891008900A	430473486000S1 √
NBU 466	32-10-22 NWNE	ML22798	891008900A	430473482400S1 V
NBU 468	11-10-21 SENW	UTU0149080	891008900A	430473485600S1
NBU 470	7-10-22 SWSE	UTU466	891008900A	430473483300S1
NBU 471	17-10-22 NWNE	UTU01196E	891008900A	430473483400S1
NBU 472	32-10-22 SWNE	ML22798	891008900A	430473489600S1 ✓
NBU 492-7E	7-9-21 LOT 1	UTU0149767	891008900A	430473421700S1
NBU 922-361	36-9-22 NESE	MS22650	891008900A	430473510700S1 V
UTE TRAIL 083X	9-10-22 SENE	UTU01196D	891008900A	430471538800S1
UTE TRAIL 088X	2-10-21 SESE	ML13826	891008900A	430471538900S1 🗸
51m 117/115 000/1				

1. Type of Well

3a. Address

Name of Operator

1368 S 1200 E

VERNAL, UT 84078

TYPE OF SUBMISSION

☐ Final Abandonment Notice

which would entitle the applicant to conduct operations thereon.

■ Notice of Intent

☐ Subsequent Report

☐ Oil Well 🛛 Gas Well 🔲 Other

WESTPORT OIL & GAS COMPANY

4. Location of Well (Footage, Sec., T., R., M., or Survey Description) Sec 15 T10S R22E SENW 2077FNL 1729FWL

UNITED STATES DEPARTMENT OF THE INTERIOR BUREAU OF LAND MANAGEMENT

FORM APPROVED OMB NO. 1004-0135

BURE	AU OF LAND MANA	Expires: No	veinuer 30, 2000				
SUNDRY NO	TICES AND REPO	5. Lease Serial No. U-01196-A					
abandoned well. U	lse form 3160-3 (API	6. If Indian, Allottee o	r Tribe Name				
SUBMIT IN TRIPLIC	CATE - Other instruc	7. If Unit or CA/Agreement, Name and/or No. NATURAL BUTTES					
☐ Gas Well ☐ Other				8. Well Name and No. NBU 462			
rator RT OIL & GAS COMPAN		DEBRA DOMENICI E-Mail: ddomenici@westportreso	urcescorp.co	9. API Well No. m 43-047-34839			
00 E JT 84078		3b. Phone No. (include area code) Ph: 435.781.7060		10. Field and Pool, or NATURAL BUT			
Vell (Footage, Sec., T., R., I	M., or Survey Description))		11. County or Parish, and State			
OS R22E SENW 2077FN	NL 1729FWL	UINTAH COUNTY, UT					
				<u> </u>			
12. CHECK APPROPI	RIATE BOX(ES) TO	INDICATE NATURE OF N	OTICE, RI	EPORT, OR OTHER	RDATA		
SUBMISSION	TYPE OF ACTION						
Intent] Acidize	□ Deepen	☐ Product	ion (Start/Resume)	☐ Water Shut-Off		
[Alter Casing	☐ Fracture Treat	☐ Reclama	ation	■ Well Integrity		
nt Report	Casing Repair	☐ New Construction	☐ Recomplete Other		Other		
ndonment Notice	Change Plans	□ Plug and Abandon	☐ Tempor	orarily Abandon Change to Original			
-	Convert to Injection	☐ Plug Back	□ Water D	ter Disposal			

13. Describe Proposed or Completed Operation (clearly state all pertinent details, including estimated starting date of any proposed work and approximate duration thereof. If the proposal is to deepen directionally or recomplete horizontally, give subsurface locations and measured and true vertical depths of all pertinent markers and zones. Attach the Bond under which the work will be performed or provide the Bond No. on file with BLM/BIA. Required subsequent reports shall be filed within 30 days following completion of the involved operations. If the operation results in a multiple completion or recompletion in a new interval, a Form 3160-4 shall be filed once testing has been completed. Final Abandonment Notices shall be filed only after all requirements, including reclamation, have been completed, and the operator has determined that the site is ready for final inspection.)

OPERATOR REQUESTS THAT THE APD BE EXTENDED FOR AN ADDITIONAL YEAR SO THAT DRILLING OPERATIONS MAY BE COMPLETED.

Approved by the Utah Division of Oil. Gas and Mining

COPY SENT TO OPERATOR Dale: Initicis

DIV. OF OIL, GAS & MINING

14. I hereby certify the	nat the foregoing is true and correct. Electronic Submission #26719 verifie For WESTPORT OIL & GAS (d by the	he BLM Well Information System ANY, sent to the Vernal	
Name (Printed/Typ	ped) DEBRA DOMENICI	Title	SR ADMINISTRATIVE ASSISTANT	
Signature	(Electronic Submission)	Date	01/09/2004	
	THIS SPACE FOR FEDERA	AL OR	R STATE OFFICE USE	
Conditions of approval,	if any, are attached. Approval of this notice does not warrant or tholds legal or equitable title to those rights in the subject lease	_ Ti	Title Date	

Title 18 U.S.C. Section 1001 and Title 43 U.S.C. Section 1212, make it a crime for any person knowingly and willfully to make to any department or agency of the United States any false, fictitious or fraudulent statements or representations as to any matter within its jurisdiction.

Office



43-047-34839

API:

Application for Permit to Drill Request for Permit Extension Validation

Validation
(this form should accompany the Sundry Notice requesting permit extension)

Well Name: NBU 462 Location: NATURAL BUTTES				
Company Permit Issued to: WESTPORT OIL & GAS COMPANY, L.P. Date Original Permit Issued: 1/6/2003				
The undersigned as owner with legal rights to drill on the property as permitted above, hereby verifies that the information as submitted in the previously approved application to drill, remains valid and does not require revision.				
Following is a checklist of some items related to the application, which should be verified.				
If located on private land, has the ownership changed, if so, has the surface agreement been updated? Yes □ No ☑				
Have any wells been drilled in the vicinity of the proposed well which would affect the spacing or siting requirements for this location? Yes ☐ No ☑				
Has there been any unit or other agreements put in place that could affect the permitting or operation of this proposed well? Yes□No☑				
Have there been any changes to the access route including ownership, or right-of-way, which could affect the proposed location? Yes□No ☑				
Has the approved source of water for drilling changed? Yes□No☑				
Have there been any physical changes to the surface location or access route which will require a change in plans from what was discussed at the onsite evaluation? Yes□No☑				
Is bonding still in place, which covers this proposed well? Yes ☑ No ☐				
Della Domenico				
Signature Date				
Title: SR ADMINISTRATIVE ASSISTANT				
Representing: WESTPORT OIL & GAS COMPANY, L.P. RECEN				

JAN 1 5 2004
DIV. OF OIL, GAS & MINING

D STATES DEPARTMENT OF THE INTERIOR BUREAU OF LAND MANAGEMENT

FORM APPROVED OMB No. 1004-0135

Expires Jnovember 30, 2000 5. Lease Serial No.

U-01196-A

0

SUNDRY NOTICES AND REPORTS ON WELLS

6.	If Indian, Allottee or Tribe Name	

4 (1)	Use Form 3160-3 (APD)					o. II mulan,	111100	ace of Tribe (value
SUBMIT IN TRIPLICATE – Other instructions on reverse side							CA/A	agreement, Name and/or No.
1. Type of Well						NATURAL	BU	TTES UNIT
Oil Well 🗷 Gas Well	Other					8. Well Nam	ne and	No.
2. Name of Operator						NBU 462	2	
WESTPORT OIL & GAS CC	MPANY L.P.					9. API Well	No.	
3a. Address	·····	3b. Pl	none No. (includ	le are	a code)	43-047-34	839	
1368 SOUTH 1200 EAST V	'ERNAL, UT 84078	(435)	781-7024			10. Field and	Pool,	or Exploratory Area
4. Location of Well (Footage, Sec.,		on)				NATURAL	BU	TTES
						11. County or	Paris	h, State
SENW SECTION 15-T10S-F	R22E 2077'FNL & 172	9'FWL				UINTAH, U	JTAI	Н
12. CHECK APP	ROPRIATE BOX(ES) TO 1	NDICA'	TE NATURE	OF N	IOTICE, R	EPORT, OR	ОТН.	ER DATA
TYPE OF SUBMISSION			TYF	PE O	F ACTION	ſ		
Notice of Intent	Acidize Alter Casing	Dee	pen cture Treat		Production Reclamatio	(Start/Resume) n		Water Shut-Off Well Integrity
Subsequent Report	Casing Repair	☐ Nev	v Construction		Recomplete	9	X	Other DOGM APD
	Change Plans		g and Abandon		Temporaril	-		EXTENSION
Final Abandonment Notice	Convert to Injection	Plu ₁	g Back	Ш	Water Disp	osal		
Attach the Bond under which the worfollowing completion of the involved testing has been completed. Final Aldetermined that the site is ready for fin THE OPERATOR REQUES WELL LOCATION. SO THA	operations. If the operation results and onment Notices shall be file all inspection. TS AUTHORIZATION	lts in a mid only aft	ultiple completion er all requiremen	n or rents, in	ecompletion i cluding recla	in a new interval mation, have be	, a Fo en cor	rm 3160-4 shall be filed once mpleted, and the operator has
and the second of the second o	Approve Utan							
COPY SENT TO OPERATOR	Oil, Gas a		1	\sim		RECE	EIV	ED
CHO	Date: 01-2	8-2	37		DI	JAN 1		•
14. I hereby certify that the foregoing Name (Printed/Typed)	g is true and correct	Titl	$ u_{\ell}$					
Sheile Upchego	_	Reg	gulatory Ana	alyst				
Signature // // // // // // // // // // // // //	Well)	Date Jan	e uary 12, 200	05				
	THIS SPACE	E FOR F	EDERAL OR S	STAT	E USE			
Approved by			Title			Date		
Conditions of approval, if any, are attached certify that the applicant holds legal or equivalent would entitle the applicant to conduct	itable title to those rights in the sult operations thereon.	oject lease	Office					
Title 18 U.S.C. Section 1001, make false, fictitious or fraudulent stateme	it a crime for any person knownts or representations as to an	owingly a y matter v	nd willfully to within its jurisd	make iction	e to any dep ı.	artment or age	ncy o	of the United States any

Application for Permit to Drill Request for Permit Extension Validation (this form should accompany the Sundry Notice requesting permit extension)

API: 4304734839 Well Name: NBU 462 Location: SENW SECTION 15-T10S-R22E Company Permit Issued to: WESTPORT OIL & GAS C Date Original Permit Issued: 1/6/2003	CO., L.P.
The undersigned as owner with legal rights to drill on the above, hereby verifies that the information as submittee approved application to drill, remains valid and does not be a submittee.	d in the previously
Following is a checklist of some items related to the apverified.	pplication, which should be
If located on private land, has the ownership changed, agreement been updated? Yes □ No ☑	if so, has the surface
Have any wells been drilled in the vicinity of the proposithe spacing or siting requirements for this location? Ye	
Has there been any unit or other agreements put in pla permitting or operation of this proposed well? Yes□No	
Have there been any changes to the access route included of-way, which could affect the proposed location? Yesl	
Has the approved source of water for drilling changed?	? Yes□No⊠
Have there been any physical changes to the surface I which will require a change in plans from what was dis evaluation? Yes□No☑	
Is bonding still in place, which covers this proposed we	ell? Yes⊠No□
Mila lychego	1/12/2003
elignature / //	Date
Title: REGULATORY ANALYST	
Representing: WESTPORT OIL & GAS COMPANY L.P.	RECEIVED
WESTFORT OIL & GAS COMPANY L.P.	RECEIVED JAN 1 9 2005
	DIV OF -

DIV. OF OIL, GAS & MINING

UNITED STATES DEPARTMENT OF THE INTERIOR

FORM APPROVED	
OMB NO. 1004-0135	
Evniree: November 30, 2	n

- F	BUREAU OF LAND MANA	GEMENT				ovember 30, 2000	
SUNDRY Do not use the			5. Lease Serial No. U-01196-A				
11 Do not use the abandoned we	proposals.		6. If Indian, Allottee N/A	or Tribe Name			
SUBMIT IN TR	SUBMIT IN TRIPLICATE - Other instructions on				7. If Unit or CA/Agreement, Name and/or No. N/A		
1. Type of Well ☐ Oil Well ☑ Gas Well ☐ Oil	har	<u> </u>		-	8. Well Name and No NBU 462	•	
Name of Operator WESTPORT OIL AND GAS (Contact:	RALEEN W	EDDLE lle@kmg.com		9. API Well No. 43-047-34839		
3a. Address 1368 SOUTH 1200 EAST VERNAL, UT 84078			o. (include area code 81-7044	e)	10. Field and Pool, or NATURAL BUT	Exploratory TES	
4. Location of Well (Footage, Sec., 2	T., R., M., or Survey Description)				11. County or Parish,	and State	
Sec 15 T10S R22E SENW 20	077FNL 1729FWL				UINTAH COUN	ITY, UT	
12. CHECK APP	ROPRIATE BOX(ES) TO	INDICATI	E NATURE OF	NOTICE, RI	EPORT, OR OTHE	R DATA	
TYPE OF SUBMISSION			ТҮРЕ О	F ACTION			
	☐ Acidize	□ Dea	pen	☐ Product	ion (Start/Resume)	☐ Water Shut-Off	
Notice of Intent Notice of Intent	☐ Alter Casing	☐ Fra	cture Treat	□ Reclama	ation	☐ Well Integrity	
☐ Subsequent Report	☐ Casing Repair	_	v Construction	☐ Recomp	olete	☑ Other	
☐ Final Abandonment Notice	☐ Change Plans	_	g and Abandon		arily Abandon	-	
	☐ Convert to Injection		g Back	□ Water D	=		
following completion of the involved testing has been completed. Final Al determined that the site is ready for f Westport Oil & Gas Company	pandonment Notices shall be filed inal inspection.)	i only after all	requirements, includ	ling reclamation	n, have been completed,	and the operator has	
					RF	EB 0 / 2005	
					F	EB 0 / 2005	
					DIV. C	DE OIL, GAS & MINING	
14. I hereby certify that the foregoing is	true and correct. Electronic Submission #5 For WESTPORT Of	3506 verified L AND GAS	l by the BLM Well COMPANY, sent	Information to the Vernal	System		
Name (Printed/Typed) RALEEN	WEDDLE		Title PREPA	RER			
Signature Ralem (Electronic S	Weddle (ubmission)		Date 01/28/2	005			
	THIS SPACE FOR	R FEDERA	L OR STATE	OFFICE US	BE		
Approved By			Title			Date	
Conditions of approval, if any, are attached ertify that the applicant holds legal or equivalent would entitle the applicant to condu	itable title to those rights in the s	ot warrant or ubject lease	Office			•	

Title 18 U.S.C. Section 1001 and Title 43 U.S.C. Section 1212, make it a crime for any person knowingly and willfully to make to any department or agency of the United States any false, fictitious or fraudulent statements or representations as to any matter within its jurisdiction.

STATE OF UTAH		
DIVISION OF OIL,	gas and	MNING

OPERATOR	WESTPORT O & G COMPANY, L.P.
ADDRESS	1368 SOUTH 1200 EAST
	VERNAL, UT 84078

	DEFIDION O		
012	ENTITY	ACTION	FORM - FORM 6

Ŧ	ACTION	CURRENT	NEW	API NUMBER	WELL NAME	WELL LOCATION			SPUD	EFFECTIVE		
- 1	CODE	ENTITY NO.	ENTITY NO.			QQ	SC	TP	RG	COUNTY	DATE	DATE
	A	99999	14617	43-047-35440	FEDERAL 1022-15J	NWSE	15	108	22E	UINTAH	3/11/2005	3/17/05
ħ	NELL 1 CC	MMENTS:		muro				CONE			NI I	
1	MIRU PE	TE MARTIN I	BUCKET RIG	111000				l ,l INFILIEN HAL		∖ L ∣		
Ŀ			ON 3/11/05					100-11 1 4	DOATION!		SPUD	EFFECTIVE
	ACTION CODE	CURRENT ENTITY NO.	NEW ENTITY NO.	API NUMBER	WELLNAME	QQ	SC	TP	CATION RG	COUNTY	DATE	DATE
Ī	A	99999	14618	43-047-34839	FEDERAL 1022-15F	SENW	15	108	22E	UINTAH	3/9/2005	3/17/05
		DMMENTS:	,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,	mURI	D							_
			BUCKET RIG									ļ
1		CURRENT	ON ON 3/9/200	5 AT 9:00 AM APINUMBER	WELL NAME			WELL	CATION		SPUD	EFFECTIVE
	ACTION	ENTITY NO.	ENTITY NO.	VLI HOMBEI	TALLE I STUNE	QQ	SC	TP	RG	COUNTY	DATE	DATE
d	B	99999	2900	43-047-34871	CIGE 292	SESE	8	108	22E	UINTAH	3/12/2005	3/17/05
WELL 3 COMMENTS: MURD = WSMVD												
			BUCKET RIG	,	- WOMVE							
L				05 AT 10:00 AM				19171 4 8	OCATION		SPUD	EFFECTIVE
	ACTION	CURRENT	NEW	API NUMBER	WELL NAME	1 00	SC	TP	RG	COUNTY	DATE	DATE
ŀ	CODE	ENTITY NO.	ENTITY NO.			- Cru	1 30	 ''	1.00	000.111	- DAILE	
WELL 4 COMMENTS: Post-it* Fax Note 7671 Date 16-05 pages												
Ì				To Far	C - 1 Sum 1/ 1	Wede	le					
		MIDDELL	NEW .	}	xogm ca Westow	ca Westport		WELL	OCATION		SPUD	EFFECTME
	ACTION CODE	CURRENT ENTITY NO.	ENTITY NO.		This is a second of the second	· 181-70	uu	TP	RG	COUNTY	DATE	DATE
. }	0001	CHIEF NO.		Phone # C		701 10	7-11				1	
]		XD	-359-3940 Fax# 435-	101-11	774	<u></u>				1
	WELL 5 C	OMMENTS:										

ACTION CODES (See instructions on track of form)

- A Establish new entity for new well (single well only)
- B Add new well to existing entity (group or unit well)
- C Re-assign well from one existing entity to another existing entity
- D Re-assign well from one existing entity to a new entity
- E Other (explain in comments section)

NOTE: Use COMMENT section to explain why each Action Code was selected.

(3/89)

RECEIVED MAR 1 6 2005

DIV. OF OIL, GAS & MINING

Kallen Signature	11)!	old	لل
Signature		J		

OPERATOR ACCT. NO. N

REGULATORY ANALYST	03/16/05
Title	Date

Phone No.	435-781-7044

ED STATES T OF THE INTERIOR BUREAU OF LAND MANAGEMENT

FORM APPROVED
OMB NO. 1004-0135
Expires: November 30, 200

SUNDRY NOTICES AND REPORTS ON WELLS

- 1		
ĺ	6.	If Indian, Allottee or Tribe Name

5. Lease Serial No. U-01196-A

13 abandoned well	II. Use form 3160-3 (APL	o) for such proposals.	6. If Indian, Allottee N/A	or Tribe Name		
SUBMIT IN TRI	PLICATE - Other instruc	tions on reverse side.	7. If Unit or CA/Agro N/A	eement, Name and/or No.		
1. Type of Well		8. Well Name and No FEDERAL 1022-				
☐ Oil Well ☐ Gas Well ☐ Oth						
Name of Operator WESTPORT OIL & GAS COM		RALEEN WEDDLE E-Mail: rweddle@kmg.com	9. API Well No. 43-047-34839			
3a. Address 1368 SOUTH 1200 EAST VERNAL, UT 84078		3b. Phone No. (include area code Ph: 435-781-7044 Fx: 435-781-7044	NATURAL BU	10. Field and Pool, or Exploratory NATURAL BUTTES		
4. Location of Well (Footage, Sec., T	., R., M., or Survey Description)		11. County or Parish,	, and State		
Sec 15 T10S R22E SENW 20	77FNL 1729FWL		UINTAH COUN	NTY, UT		
12. CHECK APPI	ROPRIATE BOX(ES) TO	INDICATE NATURE OF	NOTICE, REPORT, OR OTHE	ER DATA		
TYPE OF SUBMISSION		ТҮРЕ О	F ACTION			
	☐ Acidize	☐ Deepen	☐ Production (Start/Resume)	☐ Water Shut-Off		
☐ Notice of Intent	☐ Alter Casing	☐ Fracture Treat	☐ Reclamation	☐ Well Integrity		
Subsequent Report	☐ Casing Repair	■ New Construction	☐ Recomplete	Other ∴		
☐ Final Abandonment Notice	☐ Change Plans	☐ Plug and Abandon	□ Temporarily Abandon	Drilling Operations		
_	☐ Convert to Injection	Plug Back	□ Water Disposal	•		
MIRU PETE MARTIN BUCKE SPUD WELL LOCATION ON		NDUCTOR HOLE TO 40'. RA	AN 14" CONDUCTOR PIPE.			
			RECEIV	/ED		
			MAR 1 8 2	2005		
			DIV. OF OIL, GAS	& MINING		
14. I hereby certify that the foregoing is	Flectronic Submission #	55015 verified by the BLM We	ll Information System It to the Vernal			
Name (Printed/Typed) RALEEN	WEDDLE	Title ASSO	CIATE REGULATORY ANALYS	T		
Signature CElectronic S	wardall submission)	Date 03/16/2	2005			
Digitature (Electronic C		R FEDERAL OR STATE				
				Date		
_Approved By		Title		Dan		
Conditions of approval, if any, are attache certify that the applicant holds legal or equ which would entitle the applicant to condu	uitable title to those rights in the	subject lease Office				

Title 18 U.S.C. Section 1001 and Title 43 U.S.C. Section 1212, make it a crime for any person knowingly and willfully to make to any department or agency of the United States any false, fictitious or fraudulent statements or representations as to any matter within its jurisdiction.

Approved By

Conditions of approval, if any, are attached. Approval of this notice does not warrant or certify that the applicant holds legal or equitable title to those rights in the subject lease which would entitle the applicant to conduct operations thereon.

UNITED STATES DEPARTMENT OF THE INTERIOR BUREAU OF LAND MANAGEMENT

FORM APPROVED	
OMB NO. 1004-0135	5
Expires: November 30, 2	000

Date

Lease Serial No. U-01196-A

014

SUNDRY NOTICES AND REPORTS ON WELLS Do not use this form for proposals to drill or to re-enter an abandoned well. Use form 3160-3 (APD) for such proposals. 6. If Indian, Allottee or Tribe Name 7. If Unit or CA/Agreement, Name and/or No. SUBMIT IN TRIPLICATE - Other instructions on reverse side. 8. Well Name and No. 1. Type of Well FEDERAL 1022-15F ☐ Oil Well 🛛 Gas Well 🔲 Other 9. API Well No. SHEILA UPCHEGO 2. Name of Operator Contact: 43-047-34839 WESTPORT OIL & GAS COMPANY, LP E-Mail: supchego@kmg.com 10. Field and Pool, or Exploratory NATURAL BUTTES 3b. Phone No. (include area code) Ph: 435-781-7024 1368 SOUTH 1200 EAST VERNAL, UT 84078 11. County or Parish, and State 4. Location of Well (Footage, Sec., T., R., M., or Survey Description) UINTAH COUNTY, UT Sec 15 T10S R22E SENW 2077FNL 1729FWL 12. CHECK APPROPRIATE BOX(ES) TO INDICATE NATURE OF NOTICE, REPORT, OR OTHER DATA TYPE OF SUBMISSION TYPE OF ACTION ☐ Production (Start/Resume) ☐ Water Shut-Off ☐ Acidize □ Deepen □ Notice of Intent ☐ Well Integrity ☐ Fracture Treat □ Reclamation ☐ Alter Casing Subsequent Report □ Recomplete Other ☐ New Construction Casing Repair **Drilling Operations** ☐ Temporarily Abandon ☐ Final Abandonment Notice ☐ Change Plans ☐ Plug and Abandon ☐ Water Disposal ☐ Plug Back Convert to Injection 13. Describe Proposed or Completed Operation (clearly state all pertinent details, including estimated starting date of any proposed work and approximate duration thereof. If the proposal is to deepen directionally or recomplete horizontally, give subsurface locations and measured and true vertical depths of all pertinent markers and zones. Attach the Bond under which the work will be performed or provide the Bond No. on file with BLM/BIA. Required subsequent reports shall be filed within 30 days following completion of the involved operations. If the operation results in a multiple completion or recompletion in a new interval, a Form 3160-4 shall be filed once testing has been completed. Final Abandonment Notices shall be filed only after all requirements, including reclamation, have been completed, and the operator has determined that the site is ready for final inspection.) MIRU BILL MARTIN AIR RIG. DRILLED 12 1/4" SURFACE HOLE TO 1970'. RAN 9 5/8" 32.3# H-40 SURFACE CSG. LEAD CMT W/250 SX 2% CACL2 1/4# FLOCELE 52 BBLS SLURRY YIELD 1.18 FT/3. 15.6 PPG DROP PLUG BUMPED AND HELD. NO CMT RETURNS TO SURFACE. PMP 100 SX 3% CACL2 YIELD 1.18 FT/3 15.6 PPG 21 BBLS SLURRY NO RETURNS FOLLOWED BY 120 SY 100 CACLE YIELD 1.18 FT/3 15.6 PPG 21 BBLS SLURRY. NO RETURNS FOLLOWED BY 130 SX 3% CACL2 YIELD 1.18 FT/3 15.6 PPG 27.3 BBLS SLURRY HAD CMT RETURNS. 14. I hereby certify that the foregoing is true and correct Electronic Submission #55292 verified by the BLM Well Information System For WESTPORT OIL & GAS COMPANY, LP, sent to the Vernal Title **OPERATIONS** Name (Printed/Typed) SHEILA UPCHEGO 03/21/2005 Signature THIS SPACE FOR FEDERAL OR STATE OFFICE USE

Title 18 U.S.C. Section 1001 and Title 43 U.S.C. Section 1212, make it a crime for any person knowingly and willfully to make to any department or agency of the United States any false, fictitious or fraudulent statements or representations as to any matter within its jurisdiction.

Title

Office

D STATES DEPARTMENT OF THE INTERIOR BUREAU OF LAND MANAGEMENT

FORM APPROVED
OMB No. 1004-0135
Expires Jnovember 30, 2000

	Expires movember	30, 2000
Leac	e Serial No	

5.	Lease Serial No.	
U-	01196-A	
6.	If Indian, Allottee or Tribe Name	
7.	If Unit or CA/Agreement, Name and/or No.	

SUNDRY NOTICES AND REPORTS ON WELLS			U-01196-A
Do not use this form for proposals to drill or reenter an			6. If Indian, Allottee or Tribe Name
abandoned well.			
	ICATE Other instru	ıctions on reverse side	7. If Unit or CA/Agreement, Name and/or No.
1. Type of Well Oil Well Gas Well	Other		8. Well Name and No.
2. Name of Operator	U Other		FEDERAL 1022-15F
WESTPORT OIL & GAS CO	DMPANY. L.P.		9. API Well No.
3a. Address		3b. Phone No. (include area code)	43-047-34839
1368 SOUTH 1200 EAST, V	'ERNAL, UT 84078	435-781-7060	10. Field and Pool, or Exploratory Area
4. Location of Well (Footage, Sec.,		on)	NATURAL BUTTES
SENW SEC 15-T10S-R22E			11. County or Parish, State
2077' FNL 1729' FWL			UINTAH, UTAH
12. CHECK APP	ROPRIATE BOX(ES) TO I	INDICATE NATURE OF NOTICE,	REPORT, OR OTHER DATA
TYPE OF SUBMISSION		TYPE OF ACTION	М
Notice of Intent Subsequent Report	Acidize Alter Casing Casing Repair X Change Plans	Fracture Treat Reclama New Construction Recompl	
Final Abandonment Notice	Convert to Injection	Plug Back Water Di	
Attach the Bond under which the wor following completion of the involved of testing has been completed. Final Abdetermined that the site is ready for final OPERATOR REQUESTS TO	the will be performed or provide to perations. If the operation result the andonment Notices shall be filed all inspection. O AMEND THE CURRE	the Bond No. on file with BLM/BIA. Req Its in a multiple completion or recompletion d only after all requirements, including rec	rue vertical depths of all pertinent markers and zones, uired subsequent reports shall be filed within 30 days in a new interval, a Form 3160-4 shall be filed once clamation, have been completed, and the operator has CHANGE TD FROM 6700' TO IS ON FILE WITH THE BLM
	#:	Approved by the	Haman Control of the
Pederal Appro val of this Action is Necess ary	r.	Utah Division of Oil, Gas and Mining	RECEIVED
	*\ }	Date: 06-16-99	MAY 1 3 2005
COPY SENT TO OPERATOR Date: 6-17-05 Initials: 6-17-05	The Control of the Co	W: Tradelly	DIV. OF OIL, GAS & MINING
14. I hereby certify that the foregoing			
Name (Printed/Fyped) DEBRA DO		Title	NIBONMENTAL ANALYST
Signature ,	JIVIENIOI	Date ASSOCIATE EN	IVIRONMENTAL ANALYST
Dela Dom	one -		May 10, 2005
	THIS SPACE	FOR FEDERAL OR STATE USE	
Approved by		Title	Date
Conditions of approval, if any, are attached sertify that the applicant holds legal or equite which would entitle the applicant to conduct	able title to those rights in the subje	varrant or Office ect lease	

Title 18 U.S.C. Section 1001, make it a crime for any person knowingly and willfully to make to any department or agency of the United States any false, fictitious or fraudulent statements or representations as to any matter within its jurisdiction.

DEPARTMENT OF THE INTERIOR BUREAU OF LAND MANAGEMENT

FORM APPROVED OMB No. 1004-0135 Expires Jnovember 30, 2000

5. Lease Serial No.

U-01196-A

SUNDRY NOTICES AND REPORTS ON WELLS

Do not use this form for proposals to drill or reenter an abandoned well. Use Form 3160-3 (APD) for such proposals.				6. If Indian, A	llottee or Tribe Name
SUBMIT IN TRIPL	ICATE – Other instr	uctions on reverse	e side	7. If Unit or C	A/Agreement, Name and/or No.
1. Type of Well Oil Well Gas Well	Other			8. Well Name	and No.
2. Name of Operator				FEDERA	L 1022-15F
WESTPORT OIL & GAS CO	MPANY L.P.	•	·	9. API Well N	0.
3a. Address 3b. Phone No. (include area code)			43-047-348		
1368 SOUTH 1200 EAST V	ERNAL, UT 84078	(435) 781-7024		10. Field and Pool, or Exploratory Area	
4. Location of Well (Footage, Sec.,	T., R., M., or Survey Descript	ion)		NATURAL BUTTES	
				11. County or P	Parish, State
SENW SECTION 15-T10S-R22E 2077'FNL & 1729'FWL				UINTAH, UTAH	
12. CHECK APP	ROPRIATE BOX(ES) TO	INDICATE NATURE	OF NOTICE, 1	REPORT, OR O	THER DATA
TYPE OF SUBMISSION		TYI	PE OF ACTIO	N	
Notice of Intent	Acidize Alter Casing	Deepen Fracture Treat	Production Reclamati	n (Start/Resume)	Water Shut-Off Well Integrity
X Subsequent Report			te ily Abandon	Other FINAL DRILLING OPERATIONS	
Final Abandonment Notice	Convert to Injection	Plug Back	Water Dis	posal	
13. Describe Proposed or Completed Ope If the proposal is to deepen directions Attach the Bond under which the wo following completion of the involved	ally or recomplete horizontally, and will be performed or provide	give subsurface locations and the Bond No. on file with	l measured and tr BLM/BIA. Requ	ue vertical depths of ired subsequent rep	f all pertinent markers and zones. orts shall be filed within 30 days

testing has been completed. Final Abandonment Notices shall be filed only after all requirements, including reclamation, have been completed, and the operator has determined that the site is ready for final inspection. FINISHED DRILLING FROM 1970' TO 8440'. RAN 4 1/2" 11.6# I-80 PRODUCTION CSG.

LEAD CMT W/400 SX PREM LITE II @12.0 PPG 2.37 YIELD. TAILED CMT W/1135 SX

false, fictitious or fraudulent statements or representations as to any matter within its jurisdiction.

RELEASED PIONEER 38 ON 5/26/05 AT 8:00 AM.

50/50 POZ @14.3 PPG 1.31 YIELD. FLOATS HELD.

RECEIVED JUN 0 1 2005

		D!V. O	FOIL, CAS CLARAC
14. I hereby certify that the foregoing is true and correct			
Name (Printed/Typed)	Title		
Sheila Upchego	Regulatory Analyst		
Significant Signif	Date May 27, 2005		
THIS SP	ACE FOR FEDERAL OR STATE U	SE	
Approved by	Title	Date	
Conditions of approval, if any, are attached. Approval of this notice does certify that the applicant holds legal or equitable title to those rights in the which would entitle the applicant to conduct operations thereon.	e subject lease		
Title 18 U.S.C. Section 1001, make it a crime for any person	knowingly and willfully to make to	any department or agency of the	United States any

Form 3 160-5	
(August 1999)	

UNITED STATES DEPARTMENT OF THE INTERIOR BUREAU OF LAND MANAGEMENT

FORM APPROVED				
OMB No.	1004-0135			
Expires Jnove	mber 30, 2000			

5. Lease Serial No.

DUKE	WO OL PUIND MINITI	CIDIVIDIAI	J. Lease Schai No.
SUNDRY NOTICES AND REPORTS ON WELLS			U-01196-A
Do not use this form for proposals to drill or reenter an			6. If Indian, Allottee or Tribe Name
abandoned well.			
			7. If Unit or CA/Agreement, Name and/or No.
SUBMIT IN TRIPLI	CATE – Other instru	ıctions on reverse side	
			.
1. Type of Well Oil Well Gas Well	Other		8. Well Name and No.
2. Name of Operator	Other		FEDERAL 1022-15F
WESTPORT OIL & GAS CO	MPANYI P		9. API Well No.
3a. Address	VII / UV I L.I .	3b. Phone No. (include area code)	43-047-34839
1368 SOUTH 1200 EAST VI	FRNAL UT 84078	(435) 781-7024	10. Field and Pool, or Exploratory Area
4. Location of Well (Footage, Sec., 7			NATURAL BUTTES
			11. County or Parish, State
SWNW SECTION 15-T10S-F	R22E 2077'FNL & 17	29'FWL	UINTAH, UTAH
	·		ONTAN, OTAN
12. CHECK APPR	OPRIATE BOX(ES) TO	INDICATE NATURE OF NOTICE, F	REPORT, OR OTHER DATA
TYPE OF SUBMISSION		TYPE OF ACTION	1
Notice of Intent	Acidize	Deepen Production	(Start/Resume) Water Shut-Off
Notice of Intent	Alter Casing	Fracture Treat Reclamation	
X Subsequent Report	Casing Repair	New Construction Recomple	
	Change Plans		ly Abandon START-UP
Final Abandonment Notice	Convert to Injection	Plug Back Water Dis	
If the proposal is to deepen directional Attach the Bond under which the world following completion of the involved of	ly or recomplete horizontally, g k will be performed or provide operations. If the operation rest andonment Notices shall be fil	give subsurface locations and measured and the the Bond No. on file with BLM/BIA. Requirely in a multiple completion or recompletion.	any proposed work and approximate duration thereof are vertical depths of all pertinent markers and zones, ired subsequent reports shall be filed within 30 days in a new interval, a Form 3160-4 shall be filed once amation, have been completed, and the operator has
THE SUBJECT WELL LOCA	TION WAS PLACED	ON PRODUCTION ON 6/11/05	AT 9:00 AM.
PLEASE REFER TO THE AT	TACHED CHRONOL	OGICAL WELL HISTORY.	· · · · · · · · · · · · · · · · · · ·
•			

14. I hereby certify that the foregoi	ng is true and correct		. "	
Name (Printed/Typed)		Title		
Sheila Upchego	, R	legulatory Analyst		
Signature /		Date une 20, 2005		
	THIS SPACE FOR	R FEDERAL OR STATE USE		
Approved by		Title	Date	-
certify that the applicant holds legal or eq which would entitle the applicant to cond	ed. Approval of this notice does not warrant quitable title to those rights in the subject leauct operations thereon.	ase		
Title 18 U.S.C. Section 1001, mal-	ke it a crime for any person knowingly	y and willfully to make to any	department or agency o	of the United States any

false, fictitious or fraudulent statements or representations as to any matter within its jurisdiction,

(Instructions on reverse)

RECEIVED

WESTPORT OIL & GAS COMPANY, LP

CHRONOLOGICAL HISTORY

Federal 1022-15F

	SPUD	Surface Casing Air Rig	Activity	Status
03/15/05		14" @ 40'	WOAR	Pioneer38
03/16/05		14" @ 40'	WOAR	Pioneer38
03/17/05		14" @ 40'	WOAR	Pioneer38
03/18/05	3/17/05	DA @ 1390'	Drill f/ 40'-1390'. Trona @ 1350'	Pioneer 38
03/21/05	3/17/05	9 5/8" @ 1953'		WORTPioneer38
03/22/05	3/17/05	9 5/8" @ 1953'		WORTPioneer38
03/23/05	3/17/05	9 5/8" @ 1953'		WORTPioneer38
03/24/05	3/17/05	9 5/8" @ 1953'		WORTPioneer38
03/25/05	3/17/05	9 5/8" @ 1953'		WORTPioneer38
03/28/05	3/17/05	9 5/8" @ 1953'		WORTPioneer38
03/29/05	3/17/05	9 5/8" @ 1953'		WORTPioneer38
03/30/05	3/17/05	9 5/8" @ 1953'		WORTPioneer38
03/31/05	3/17/05	9 5/8" @ 1953'		WORTPioneer38
04/01/05	3/17/05	9 5/8" @ 1953'		WORTPioneer38
04/04/05	3/17/05	9 5/8" @ 1953'		WORTPioneer38
04/05/05	3/17/05	9 5/8" @ 1953'	10 10 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1 1	WORTPioneer38
04/06/05	3/17/05	9 5/8" @ 1953'		WORTPioneer38
04/07/05	3/17/05	9 5/8" @ 1953'		WORTPioneer38
04/08/05	3/17/05	9 5/8" @ 1953'		WORTPioneer38
04/11/05	3/17/05	9 5/8" @ 1953'		WORTPioneer38
04/12/05	3/17/05	9 5/8" @ 1953'		WORTPioneer38
04/13/05	3/17/05	9 5/8" @ 1953'		WORTPioneer38

04/14/05	3/17/05	9 5/8" @ 1953'			WORTPioneer38
04/15/05	3/17/05	9 5/8" @ 1953'			WORTPioneer38
04/18/05	3/17/05	9 5/8" @ 1953'			WORTPioneer38
04/19/05	3/17/05	9 5/8" @ 1953'			WORTPioneer38
04/20/05	3/17/05	9 5/8" @ 1953'			WORTPioneer38
04/21/05	TD: 1970' Csg. 9 Rigging down & movin		1W: 8.4	SD: 4/X/05	DSS: 0
04/22/05	TD: 1970' Csg. 9 Move rig from 1022-15		IW: 8.4 oad & location (SD: 4/X/05 @ report time.	DSS: 0
04/25/05		9 5/8" @ 1953'			WORTPioneer38
04/26/05		9 5/8" @ 1953'			WORT Pioneer 38
04/27/05		9 5/8" @ 1953'			WORTPioneer38
04/28/05		9 5/8" @ 1953'			WORTPioneer38
04/29/05		9 5/8" @ 1953'			WORTPioneer38
05/02/05		9 5/8" @ 1953'			WORTPioneer38
05/03/05		9 5/8" @ 1953'			WORTPioneer38
05/04/05		9 5/8" @ 1953'			WORTPioneer38
05/05/05		9 5/8" @ 1953'			WORTPioneer38
05/06/05		9 5/8" @ 1953'			WORTPioneer38
05/09/05		9 5/8" @ 1953'			WORTPioneer38
05/10/05		9 5/8" @ 1953'			WORTPioneer38
05/11/05		9 5/8" @ 1953'			WORTPioneer38
05/12/05	TD: 1970' Csg. 9 Move rig from CIGE 2	5/8" @ 1953' M 92. 90% moved and		SD: 5/X/05 Rigging up @	DSS: 0 report time.
05/13/05	TD: 1970' Csg. 9 Finish MIRU. NU and	test BOPE. PU BH.		SD: 5/X/05 port time.	DSS: 0
05/16/05	TD: 5252' Csg. 9 Finish PU tubulars. Dr				DSS: 3 ime.
05/17/05	TD: 5993' Csg. 9 Drill from 5252'-5993'.		1W: 8.3	SD: 5/13/05	DSS: 4

05/18/05	TD: 6210' Csg. 9 5/8" @ 1953' MW: 9.0 SD: 5/13/05 DSS: 5 Drill from 5993'-6076'. TFNB and MM. Ream tight spot @ 4040' and 5030'. Drill to 6210'. DA @ report time.
05/19/05	TD: 6740' Csg. 9 5/8" @ 1953' MW: 9.3 SD: 5/13/05 DSS: 6 Drill from 6210'-6740'. DA @ report time. Top of MV @ 6451'.
05/20/05	TD: 7550' Csg. 9 5/8" @ 1953' MW: 10.0 SD: 5/13/05 DSS: 7 Drill from 6740'-7550'. DA @ report time.
05/23/05	TD: 8440' Csg. 9 5/8" @ 1953' MW: 12.5 SD: 5/13/05 DSS: 9 Drill from 7550'-8440' TD. CCH and short trip 40 stds. POOH for logs. Run Triple Combo. Bridged out @ 5480'. Log out. TIH and tag bridges f/5480'-8300. Wash and ream 110' to bottom. CCH and raise mud weight to 12.6 ppg. Started losing mud weight. Mix LCM and cut mud weight back to 12.5 ppg. Regain full returns @ report time.
05/24/05	TD: 8440' Csg. 9 5/8" @ 1953' MW: 12.5 SD: 5/13/05 DSS: 10 POOH and run triple combo. TIH to 2750'. Slip and cut drill line. Attempt to GIH. Pipe stuck. Spot fresh water around DP and work pipe @ report time.
05/25/05	TD: 8440' Csg. 9 5/8" @ 1953' MW: 12.5 SD: 5/13/05 DSS: 11 Work and free stuck pipe. Displace water and circulate and condition mud to 12.5 ppg. TIH and circulate out gas. CCH. RU L/D machine and lay down drill string @ report time.
05/26/05	TD: 8440' Csg. 9 5/8" @ 1953' MW: 12.5 SD: 5/13/05 DSS: 12 Finish laying down drill string. Run and cement 4 ½" Production Casing. Set slips and clean mud pits @ report time.
05/27/05	TD: 8440' Csg. 9 5/8" @ 1953' MW: 12.5 SD: 5/13/05 DSS: 13 Clean mud pits and release rig @ 0800 hrs 5/26/05. Rig down rotary tools. Will move to NBU 464 this am.
06/03/05	PROG: 1:30 PM. MOVE IN RU RIG. SPOT EQUIP. ND WLHEAD. NU BOP. PREP TO PU TBG SWI 5:00 PM.
06/06/05	PROG: 7:00 AM OPEN WL, PU 3-7/8" BIT & BIT SUB, RIH W/2-3/8" TBG, 176 JTS, END UP TBG 5750', POOH W/2-3/8 TBG & BIT, ND BOP, NU FRAC VALVES, PRESS TEST CSG & VALVE TO 7500#, SWI, 5:00 PM.
06/07/05	PROG: 7:00 AM HELD SAFETY MEETING. MIRU CUTTERS & SCHLUMBERGER TO PERF & FRAC. RIH W/3-3/8 EXP GUNS 23 GRM .35 HOLES 90 DEG PHASING PERF 8038' – 8044' & 8104' – 8110' 4 SPF (48 HOLES) PRESS TEST SURFACE LINES TO 8650#.
	STAGE 1: BRK 3821# @ 6.8 BPM, ISIP: 2550#, FG: .75, PMP 125 BBLS 39.7 BPM @ 4400# = 38 OF 48 HOLES OPEN, MP: 5962#, MR: 39.9 BPM, AP: 4338#, AR: 37.5 BPM, ISIP: 4128#, FG: .95, NPI: 1578#, PMP 1457 BBLS YF 120 ST+, 171,600 # 20/40 SD, RUN PROPNET IN THE LAST 10% OF SD (250 #).
	STAGE 2: RIH W/3-3/8" EXP GUNS 23 GRM .35 HOLES 90 DEG PHASING & CBP SET CBP @ 7960' & PERF 7828' – 7832' & 7938' – 7942' (32 HOLES) BRK 3588# @ 6.1 BPM, ISIP: 2505#, FG: .76, PMP 19 BBLS 40.9 BPM @ 5350# = 29 OF 32 HOLES OPEN, MP: 5428#, MR: 42.5 BPM, AP: 4018#, AR: 39.4 BPM, ISIP: 3087#, FG: .82, NPI: 582#, PMP 1348 BBLS-YF
	120 ST+, 172,400# 20/40 SD, RUN PROPNET IN THE LAST 10% OF SD (250 #)

 $\underline{\text{STAGE 3}}: \text{RIH W/3-3/8"} \text{ EXP GUNS 23 GRM .35 HOLES & CBP SET CBP @ 7480' & PERF}$

7220' – 7224' 4SPF & 7320' – 7324' 4SPF & 7448' – 7450' 2SPF (36 HOLES) BRK 3841# @ 5.5 BPM, ISIP: 2177#, FG: .74, PMP 21 BBLS 40.7 BPM @ 4700# = 27 OF 36 HOLES OPEN, MP: 4897#, MR: 40.8 BPM, AP: 4081#, AR: 38.3 BPM, ISIP: 3394#, FG: .90, NPI: 1217#, PMP 1803 BBLS YF 120 ST+, 238,000 # 20/40 SD, RUN PROPNET IN THE LAST 10% OF SD (350 #)

STAGE 4: RIH W/3-3/8" EXP GUNS 23 GRM .35 HOLES & CBP SET CBP @ 7050' & PERF 6814' - 6818' 2SPF & 6910' - 6914', 4SPF & 7014' - 7018' 4SPF (40 HOLES) BRK 3367# @ 5.4 BPM, ISIP: 2150#, FG: .75, PMP 19 BBLS 40.6 BPM @ 4700# = 38 OF 40 HOLES OPEN, MP: 5118#, MR: 40.9 BPM, AP: 4209#, AR: 39.1 BPM, ISIP: 3220#, FG: .90, NPI: 1070#, PMP 1093 BBLS YF 118 ST+, 137,500 # 20/40 SD, RUN PROPNET IN THE LAST 10% OF SD (200 #)

<u>STAGE 5</u>: RIH W/3-3/8" EXP GUNS 23 GRM .35 HOLES & CBP SET CBP @ 5800' & PERF 5324' – 5328' 2SPF & 5525' – 5529', 4SPF & 5734' – 5738' 4SPF (40 HOLES).

06/08/05

PROG: 7:00 AM HELD SAFETY MEETING.

STAGE 5: BRK 1973# @ 7.5 BPM, ISIP: 1000#, FG: .62, PMP 18 BBLS 40.8 BPM @ 3000#, 32 OF 40 HOLES OPEN, MP: 3388#, MR: 42 BPM, AP: 2355#, AR: 38.3 BPM, ISIP: 1875#, FG: .77, NPI: 875#, PMP 1473 BBLS YF 118 ST+, 198,520 # 20/40 SD, RUN PROPNET IN THE LAST 10% OF SD (300 #) KILL PLG) RIH W/BAKER 5K PLG & SET @ 5300' RDMO CUTTERS & SCHLUMBERGER RD FRAC VALVES RU BOP'S, PU 3-7/8 BIT & POBS RIH W/169 JTS 2-3/8" J-55 TBG, RU PWR SWVL, RU RIG PMP BRK CIRC CO 10' SD TAG CPB @ 5300' DRL IN 15 MIN. 1,200# INCREASE. RIH CO 62' SD TAG CBP @ 5800' DRL IN 10 MIN 200# INCREASE. RIH TOTAL OF 210 JTS EOT @ 6,570', SWI SDFN 5:00 PM.

06/09/05

PROG: 7:00 AM HELD SAFETY MEETING. SICP: 700#, SITP: 700#. RIH CO 32' SD TAG CBP #3 @ 7050 DRL IN 15 MIN 200# INCREASE, RIH CO 38' SD TAG CBP #4 @ 7480 DRL IN 14 MIN 200# INCREASE, RIH CO 15' SD TAG CBP #5 @ 7960 DRL IN 15 MIN 600# INCREASE, RIH CO 30' SD CIRC HOLE CLEAN PBTD @ 8292' RD PWR SWVL POOH LD 16 JTS EOT @ 7793.37' 249 JTS ND BOP'S DROP BALL FOR POBS HANGE OFF TBG NU WH PUMP OFF POBS @ 1400# TURN WL OVER TO FLW TESTERS, TLTR: 7,175 BBLS, RIG RECOVERY 2,850 BBLS, LTR: 4325 BBLS. RD RIG TO MOVE.

06/10/05

PROG: WELL ON FLOWBACK, FLOWBACK REPORT: CP: 2100#, TP: 1400#, 20/64 CHK, 22 BWPH, 24 HRS, SD: TRACE, TTL BBLS FLWD: 751, TODAYS LTR: 3435 BBLS, LOAD REC TODAY: 751 BBLS, REMAINING LTR: 2684 BBLS, TOTAL LOAD REC TO DATE: 4491 BBLS.

06/13/05

PROG: WELL ON FLOWBACK, FLOWBACK REPORT: CP: 2000#, TP: 1285#, 20/64 CHK, 17 BWPH, SD: CLEAN, TTL BBLS FLWD: 463, TODAYS LTR: 2,684 BBLS, LOAD REC TODAY: 463 BBLS, REMAINING LTR: 2221 BBLS, TOTAL LOAD REC TO DATE: 4954 BBLS.

WELL WENT ON SALES: 5/11/05, 9:00 AM. 1500 MCF, 17/64 CHK, SICP: 1640#, FTP: 1430#, 15 BWPH. FINAL REPORT FOR COMPLETION.

06/14/05

ON SALES

06/12/05: 1498 MCF, 0 BC, 360 BW, TP: 1320#, CP: 1901#, 17/64 CHK, 24 HRS, LP: 84#.

06/15/05

ON SALES

06/13/05: 1512 MCF, 0 BC, 320 BW, TP: 1258#, CP: 1794#, 17/64 CHK, 24 HRS, LP: 84#.

06/16/05

ON SALES

06/14/05: 1549 MCF, 0 BC, 144 BW, TP: 1188#, CP: 1694#, 17/64 CHK, 24 HRS, LP: 84#.

06/17/05

ON SALES

06/15/05: 1462 MCF, 0 BC, 140 BW, TP: 1186#, CP: 1652#, 17/64 CHK, 24 HRS, LP: 82#.

06/20/05

ON SALES

06/16/05: 1366 MCF, 0 BC, 183 BW, TP: 1129#, CP: 1600#, 17/64 CHK, 24 HRS, LP: 158#. 06/17/05: 1538 MCF, 0 BC, 205 BW, TP: 939#, CP: 1391#, 17/64 CHK, 24 HRS, LP: 394#. 06/18/05: 1519 MCF, 0 BC, 150 BW, TP: 927#, CP: 1345#, 17/64 CHK, 24 HRS, LP: 90#.

(See instructions and spaces for additional data on reverse side)

UNCED STATES DEPARTMENT OF THE INTERIOR BUREAU OF LAND MANAGEMENT

TION OF PROCEED STION DEPOSIT AND LOG

	FORM APPROVED					
	OME	NO.	1004	-013	37	
-			-			

Evniree.	November	30	200
expires:	November	50,	2000

	WE	LL CO	MPL	ETION	OR	RECOMF	LET	ION RE	POR	r and L	_OG			ı	196-A	eriai No.				
la. Type o:	C 337 - 11	Oil V	37-11	Γ Υ Λ G		Dry	Otl	10r			_					n, Allottee	e or T	ribe N	ame	_
	Completion	_	X	New er		Work Over		Deepen	☐ Pi	ug Back	☐ D	iff. l	Resvr.			CA Agree				
2.31			Oui										•							
2. Name of	-	0.04	0 0	A ÁDAI	.157.1									i		ame and				
WESTP 3. Address	ORT OIL	_ & GA:	SCC	JIVIPAI	NY L.F	<u></u>			3a Ph	one No. (ii	nclude o	rea	code)			<u>AL 1</u>	02	2-1	<u>5F</u>	
			ο τ ΄ ν	/CDA1/			70			•		11 CU	concy		API We					
						CCOrdance v		adaral raa)-781-70	124			43-0	47-34	839				
4. Location	OT MEH (V	ероп юс	uuons	. cieuriy i		ccornance r	Y1111 1 C	мени гец	un emen	13)			•			nd Pool, o		olorato	гу	
At surface				SWN	V .207	77'FNL &	172	9'FWL								BUTT				_
At ton proc	l. interval re	norted be	low													, R., M.,			d T10S-R2 2	۶F
At top proc	i. miloi vai ie	portou oc	710 W													or Parish			13. State	
At total dep	oth													TNIU					UTAH	
14. Date S				15. Dat	Ţ.D. R	teached			16. <u>Da</u> 1	te Complet D & A	ted	oo da	y to Prod.	1		ons (DF, l	RKB.	RT, C	îL)*	
03/09/05	5			05/23/	05				06/11			cau	y to Flou.	5166	'GL					
18. Total I	Depth: Ml	D .	844	10'	19. F	lug Back T.	.D.:	MD	8395			2	20. Depth	Bridge	Plug Se	t: MD				_
	TV							TVD						32		TVD				_
 Type E 	lectric & O	ther Mecl	hanica	al Logs F	tun (Sut	omit copy of	feach)		•		22. W	as v	well cored DST run?	? [A] N		Yes (St	ıbmi ubmi	t copy)	1	
ODL 00	L-GR,	Shla	<i></i>	140	-lm	CAOLOG	,						tional Sur			Yes				
	and Liner I						<u>-</u>			_:.		1100					, (Du			-
		1						Stage Ce	menter	No. of	Sks. &	$\overline{}$	Slurry V	ol.			Т		. D. 11. d.	
Hole Size	Size/Grade	Wt. (#/	/ft.)	Тор	(MD)	Bottom (I	MD)	Dep		Type of		t	(BBL)		Cemen	т торт		Amou	nt Pulled	
22"	14"	56#		-				40			SX	4					 _			_
12 1/4"	9 5/8"	32.3				ļ		197			SX	4					+-			
7 7/8"	4 1/2"	11.6	i#			 		844	.0.	153	5 SX	+					┼			_
24. Tubing	Record	<u> </u>				<u> </u>		•		<u> </u>										_
Size	Depth Se	et (MD)	Pack	er Depth	(MD)	Size		Depth Se	t (MD)	Packer De	epth (M	D)	Siz	e	Dep	th Set (M	D)	Pack	er Set (MI	<u>)</u>
2 3/8"	779		 		` '															
25. Produc	ing Interval					·		26. Perfo						L 37	** 1			0.01	 	_
· · · · · · · · · · · · · · · · · · ·	Formation			T		Botton			forated				Size		Holes 80			orf. Sta		_
B. 4	WASATO			53 72	24'	7018 8110			324'-7 220'-8				.35 .35		00 16			OPE		_
	ESAVEF	NDE.		1 2.	20	6110	'	<u>'</u> -	220-0	110			.00	<u> </u>	110	_		<u> </u>		_
C) D)						 					_			<u> </u>		 				_
	racture, Tre	eatment, (Cemer	nt Squeez	e, Etc.			····						<u>'</u>						
	Depth Inter	val								Amount an	nd type o	of M	[ateria]					11./		
	324'-70					BBLS YF										REC	<u>ار</u>	IVE	בט	
	7220'-81	10'		PMP 4	608 E	BBLS YF	120S	T & 58	2,000#	# 20/40 ·	JORD	AN	SD			- 11-11	_	5 20	∩ ≒ -	_
										-			_			300	<u>· U</u>	3 20		_
98 Produc	tion - Interv	να1 Δ		<u> </u>											Fil	V OF O	G	AS &	MINING	_
	Test	Hours	Test	Oi		Gas	Water		Oil Grav	rity	Gas	_	_	Product	ion Meth		<u>L, </u>	710 0.		_
1	Date	Tested	Produ	ction BI		MCF	BBL		Corr. AF	PI	Gravity					EE	201	4) A / IT		
	06/14/05	24 Csg.	24 Hr	. Oi	0	1,549 Gas	Water	144	Oil Grav	rity.	Well Sta	afue		L	FLO	WS FF	OIV	1 VVE	<u> </u>	
Size	Tbg. Press. Flwg. 1188#	Press.	Rate	BE		MCF	BBL		Corr. AF	-	1.01.01.									
17/64	SI	1694#		→	0	1549		144	<u> </u>				PR	RODU	CING	GAS V	<u>VEL</u>	.L		
	ction - Inter		1	1			1117		loac		Ce:			Drodere	ion Meth				· ·	_
1	Test Date	Hours Tested	Test Produ	Oi oction BE		Gas MCF	Water BBL		Oil Grav Corr. AF	-	Gas Gravity			rioduct	ion intern	uu				
i i	06/14/05		_	→	0	1549	1	144							FLO	WS FF	<u> 10</u> ∫	1 WE	<u>LL</u>	_
Choke	Tbg. Press.	Csg.	24 Hr			Gas	Water	:	Oil Grav	-	Well Sta	atus								_
Size 17/64	Flwg. 1188# SI	Press. 1694#	Rate	→ BE	_{يد} 0	MCF 1549	BBL	144	Сотг. АЕ	. 1			PF	RODU	CING	GAS V	۷EL	L.		

_				_						
	duction - In		,							
Date First Produced	Test Date	Hours Tested	Test Production	Oil BBL	Gas MCF	Water BBL	Oil Gravity Corr. API	Gas Gravity	Production Method	
Choke Size	Tbg. Press. Flwg. SI	Csg. Press.	24 Hr. Rate	Oil BBL	Gas MCF	Water BBL	Gas : Oil Ratio	Well Status	·	
28c. Pro	duction - Int	erval D					I			
Date First		Hours	Test	Oil	Gas	Water	Oil Gravity	Gas Gravity	Production Method	
Produced	Date	Tested	Production		MCF.	BBL	Corr. API			
Choke Size	Tbg. Press. Flwg. SI	Csg. Press.	24 Hr. Rate	Oil BBL	Gas MCF	Water BBL	Gas : Oil Ratio	Well Status	. •	
29. Disp	osition of Ga	is (Sold, us	ed for fuel, v	vented, etc.)						
	mary of Porc	us Zones (I	Include Aqu	ifers):				31. Formatio	n (Log) Markers	
tests,							nd all drill-stem d shut-in pressures			
For	mation	Тор	Bottom		Descripti	ons, Conten	ts, etc.		Name	Top Meas. Depth
WASA [*] MESA\		4111' 6539'	6539'							nous. Bopu
•										
										,
										·
ii,									····	
32. Addit	ional remark	s (include p	l plugging pro	L ocedure):	<u>. </u>			_ <u></u>		
									RE	CEIVED
									JU	L 0 5 2005
1. Ele	enclosed attectrical/Mecl	nanical Log		req'd.) nt verification		eologic Rep ore Analysis		Γ Report er:	DIV. OF C 4. Directional Survey	PIL, GAS & MINING
36. I hereb	y certify tha	t the forego	oing and atta	ched informa	ation is compl	ete and corr	ect as determined f	rom all available	records (see attached inst	ructions)*
Name (please pr <u>int</u>	SHEIL	A UPCH	EGO			Title	REGULAT	ORY ANALYST	
Signatu	ric /	Uflic	M	Ally	16		Date	6/30/2005		
Title 18 U.s States any	S.C. Section false, fictition	1001 and T	itle 43 U.S.C	C. Section 121	2, make it a cresentations as	rime for any	person knowingly a er within its jurisdic	and willfully to ma	ike to any department or a	gency of the United

≎ U.S. GPO: 1999-573-624

Division of Oil, Gas and Mining

OPERATOR CHANGE WORKSHEET

ROUTING
1. DJJ
2. CDW

X Change of Operator (Well Sold)

Operator Name Change/Merger

The operator of the well(s) listed below has changed	l, effective:			1/6/2006		
FROM: (Old Operator):		TO: (New Or	perator):	 		
N2115-Westport Oil & Gas Co., LP		N2995-Kerr-M		& Gas Onshor	e, LP	
1368 South 1200 East			outh 1200		•	
Vernal, UT 84078		Vernal,	, UT 84078	3		
Phone: 1-(435) 781-7024		Phone: 1-(435)	781-7024			
CA No.		Unit:				
WELL NAME SE	C TWN RNG	API NO	ENTITY	LEASE	WELL	WELL
$\mathbf{L}_{\mathbf{c}}$	<u>:</u> :		NO	TYPE	TYPE	STATUS
OPERATOR CHANGES DOCUMENTAT	TON					
Enter date after each listed item is completed	1011					
1. (R649-8-10) Sundry or legal documentation was re	eceived from the	FORMER ope	rator on:	5/10/2006		
2. (R649-8-10) Sundry or legal documentation was re		•		5/10/2006		
3. The new company was checked on the Departmen		_			n:	3/7/2006
4a. Is the new operator registered in the State of Utal		Business Numb	_	1355743-018		
4b. If NO , the operator was contacted contacted on:						
5a. (R649-9-2)Waste Management Plan has been receir	ved on:	IN PLACE				
5b. Inspections of LA PA state/fee well sites complete	on:	n/a				
5c. Reports current for Production/Disposition & Sund	lries on:	ok				
6. Federal and Indian Lease Wells: The BI	M and or the E	IA has appro	ved the r	nerger, nan	e chang	ge,
or operator change for all wells listed on Federal o			BLM	3/27/2006		not yet
7. Federal and Indian Units:						
The BLM or BIA has approved the successor of				3/27/2006		
8. Federal and Indian Communization Ag	•	,				
The BLM or BIA has approved the operator for			1 ****	n/a		
9. Underground Injection Control ("UIC	,	vision has appro			fer of A	uthority to
Inject, for the enhanced/secondary recovery unit/p DATA ENTRY:	roject for the wa	ter disposal wel	l(s) listed (on:	· · · · · · · · · · · · · · · · · · ·	
1. Changes entered in the Oil and Gas Database on:		5/15/200 <i>6</i>				
 Changes entered in the On and Gas Database on: Changes have been entered on the Monthly Opera 		5/15/2006		5/15/2006		
3. Bond information entered in RBDMS on:	ttor Change Sp.	5/15/2006		3/13/2000		
4. Fee/State wells attached to bond in RBDMS on:	•	5/16/2006				
5. Injection Projects to new operator in RBDMS on:	•					
6. Receipt of Acceptance of Drilling Procedures for A	APD/New on:		n/a	Name Chang	ge Only	
BOND VERIFICATION:						
1. Federal well(s) covered by Bond Number:	_	CO1203				
2. Indian well(s) covered by Bond Number:		RLB0005239				
3. (R649-3-1) The NEW operator of any fee well(s) 1	isted covered by	Bond Number		RLB0005236		
a. The FORMER operator has requested a release of 1	iability from the	ir bond on:	n/a	rider added	KMG	÷
The Division sent response by letter on: LEASE INTEREST OWNER NOTIFICAT	TON.					
		-4-4 1 C	11 1	, C. 4 T	`	
4. (R649-2-10) The FORMER operator of the fee wel of their responsibility to notify all interest owners of	is nas been conta f this change on:		ied by a let 5/16/2006)1V1S1On	
COMMENTS:	and ondige off.	· · · · · · · · · · · · · · · · · · ·	3/10/2000			
	*					

UNITED STATES DEPARTMENT OF THE INTERIOR **BUREAU OF LAND MANAGEMENT**

FORM APPROVED OMB No. 1004-0135 Expires Jnovember 30, 2000

5. Lease Serial No.

SUNDRY NOTICES AND REPORTS ON WELLS Do not use this form for proposals to drill or reenter an abandoned well. Use Form 3160-3 (APD) for such proposals.

Μl	JLTIPLE LEASES
6.	If Indian, Allottee or Tribe Name

SUBMIT IN TRIPLI	CATE – Other instru	ctions on reverse sid	7. If Unit or CA/Agreement, 1	Name and/or No.
1. Type of Well Oil Well X Gas Well	Other		8. Well Name and No.	Market and the second
2. Name of Operator	MUTIPLE WELLS			
KERR-McGEE OIL & GAS O	NSHORE LP		9. API Well No.	
3a. Address		3b. Phone No. (include area	code)	
1368 SOUTH 1200 EAST VI	10. Field and Pool, or Explorat	ory Area		
4. Location of Well (Footage, Sec., 1	T., R., M., or Survey Description	on)		
			11. County or Parish, State	
SEE ATTACHED			UINTAH COUNTY, UTA	AH
12. CHECK APPR	ROPRIATE BOX(ES) TO	INDICATE NATURE OF N	OTICE, REPORT, OR OTHER DATA	
TYPE OF SUBMISSION		TYPE OF	ACTION	<u></u>
Notice of Intent Subsequent Report Final Abandonment Notice	Acidize Alter Casing Casing Repair Change Plans Convert to Injection	Fracture Treat New Construction Plug and Abandon Plug Back	Temporarily Abandon OPERATO Water Disposal	rity HANGE OF OR
If the proposal is to deepen directional Attach the Bond under which the worl following completion of the involved of	lly or recomplete horizontally, g k will be performed or provide operations. If the operation resu andonment Notices shall be file	ive subsurface locations and meast the Bond No. on file with BLM/E alts in a multiple completion or rec	ng date of any proposed work and approximate ured and true vertical depths of all pertinent ma BIA. Required subsequent reports shall be file completion in a new interval, a Form 3160-4 shoulding reclamation, have been completed, and	arkers and zones. d within 30 days nall be filed once
IS PROVIDED BY STATE OF	CHED WELL LOCATIONSHORE LP, IS RES E OPERATIONS CON	DNS. EFFECTIVE JANI PONSIBLE UNDER TEI DUCTED UPON LEASE E BOND NO. RLB00052	UARY 6, 2006. RMS AND CONDITIONS E LANDS. BOND COVERAGE	RECEIVED MAY 1 0 2006 OF OIL, GAS & MINING

Earlene Russell, Engineering Technician Name (Printed/Typed) Title RANDY BAYNE DRILLING MANAGER Date May 9, 2006 THIS SPACE FOR FEDERAL OR STATE USE Title Approved by Date Conditions of approval, if any, are attached. Approval of this notice does not warrant or Office certify that the applicant holds legal or equitable title to those rights in the subject lease which would entitle the applicant to conduct operations thereon.

Title 18 U.S.C. Section 1001, make it a crime for any person knowingly and willfully to make to any department or agency of the United States any false, fictitious or fraudulent statements or representations as to any matter within its jurisdiction.

I hereby certify that the foregoing is true and correct

UNITED STATES DEPARTMENT OF THE INTERIOR **BUREAU OF LAND MANAGEMENT**

FORM APPROVED OMB No. 1004-0135 Expires Inovember 30, 2000

5. Lease Serial No.

	NOTICES AND REPORTS		[MULTIPLE LEASES
	form for proposals to Use Form 3160-3 (APD)		6. If Indian, Allottee or Tribe Name
SUBMIT IN TRIPL	ICATE – Other instruc	ctions on reverse side	7. If Unit or CA/Agreement, Name and/or No.
1. Type of Well			
Oil Well X Gas Well	Other		8. Well Name and No.
2. Name of Operator	MUTIPLE WELLS		
WESTPORT OIL & GAS CO			9. API Well No.
3a. Address	i	3b. Phone No. (include area c (435) 781-7024	
4. Location of Well (Footage, Sec.,	10. Field and Pool, or Exploratory Area		
4. Location of wen (rootage, sec.,	1., K., M., or survey Description	n)	11. County or Parish, State
SEE ATTACHED			11. County of Parish, State
			UINTAH COUNTY, UTAH
12. CHECK APP	ROPRIATE BOX(ES) TO IN	NDICATE NATURE OF NO	TICE, REPORT, OR OTHER DATA
TYPE OF SUBMISSION		TYPE OF A	ACTION
Notice of Intent	Acidize	Deepen Pr	oduction (Start/Resume) Water Shut-Off
	Alter Casing		clamation Well Integrity
Subsequent Report	Casing Repair		complete X Other CHANGE OF
Circl About a man Notice	Change Plans		mporarily Abandon OPERATOR
Final Abandonment Notice	Convert to Injection	_ · · · · _	ater Disposal date of any proposed work and approximate duration thereof.
Attach the Bond under which the wo following completion of the involved testing has been completed. Final A determined that the site is ready for fin EFFECTIVE JANUARY 6, 20 THE OPERATORSHIP OF THE OPERATORSHIP	ork will be performed or provide the operations. If the operation results bandonment Notices shall be filed that inspection. WESTPORT OIL &	ne Bond No. on file with BLM/BIAs in a multiple completion or record only after all requirements, included the GAS COMPANY L.P., I	d and true vertical depths of all pertinent markers and zones. A. Required subsequent reports shall be filed within 30 days impletion in a new interval, a Form 3160-4 shall be filed once ling reclamation, have been completed, and the operator has included the operator has the second transport of the second transport
ONSHORE LP.	APPR	OVED 5//6/	06
			RECEIVED
	Division	rlove Russell	MAY 1 0 2006
	Earlene R	of Oil, Gas and Mining Lussell, Engineering Teel	entation
		money cultureling teel	DIV OF OIL GAS & MINING
14. I hereby certify that the foregoin Name (Printed/Typed)	g is true and correct	l Title	
BRAD LANEY		ENGINEERING SPEC	CIALIST
Signature			
		May 9, 2006	
T	THIS SPACE	FOR FEDERAL OR STATE L	
Approved by Samuel		Title	Date 5-9-06
Conditions of approval, if any, are attacked	Approval of this notice does not we	arrant or Office	J-1-0G
certify that the applicant holds legal of equivalent which would entitle the applicant to conduc	itable title to those rights in the subje	ect lease	
		vingly and willfully to make to	any department or agency of the United States any

(Instructions on reverse)

false, fictitious or fraudulent statements or representations as to any matter within its jurisdiction.



United States Department of the Interior

BUREAU OF LAND MANAGEMENT Colorado State Office 2850 Youngfield Street Lakewood, Colorado 80215-7076

IN REPLY REFER TO:

CO922 (MM) 3106 COC017387 et. al.

March 23, 2006

NOTICE

Kerr-McGee Oil & Gas Onshore L.P.

1999 Broadway, Suite 3700

Oil & Gas

Denver, CO 80202

Merger/Name Change - Recognized

On February 28, 2006 this office received acceptable evidence of the following mergers and name conversion:

Kerr-McGee Oil & Gas Onshore L.P., a Delaware Limited Partnership, and Kerr-McGee Oil & Gas Onshore LLC, a Delaware Limited Partnership merger with and into Westport Oil and Gas Company L.P., a Delaware Limited Partnership, and subsequent Westport Oil & Gas Company L.P. name conversion to Kerr-McGee Oil & Gas Onshore L.P.

For our purposes the merger and name conversion was effective January 4, 2006, the date the Secretary of State of Delaware authenticated the mergers and name conversion.

Kerr-McGee Oil & Gas Onshore L.P. provided a list of oil and gas leases held by the merging parties with the request that the Bureau of Land Management change all their lease records from the named entities to the new entity, Kerr-McGee Oil & Gas Onshore L.P. In response to this request each state is asked to retrieve their own list of leases in the names of these entities from the Bureau of Land Management's (BLM) automated LR2000 data base.

The oil and gas lease files identified on the list provided by Kerr-McGee Oil & Gas Onshore L.P. have been updated as to the merger and name conversion. We have not abstracted the lease files to determine if the entities affected by the acceptance of these documents holds an interest in the lease, nor have we attempt to identify leases where the entity is the operator on the ground that maintains vested record title or operating rights interests. If additional documentation, for change of operator, is required you will be contacted directly by the appropriate Field Office. The Mineral Management Services (MMS) and other applicable BLM offices were notified of the merger with a copy of this notice

Please contact this office if you identify additional leases where the merging party maintains an interest, under our jurisdiction, and we will document the case files with a copy of this notice. If the leases are under the jurisdiction of another State Office that information will be forwarded to them for their action.

Three riders accompanied the merger/name conversion documents which will add Kerr-McGee Oil and Gas Onshore LLC as a principal to the 3 Kerr-McGee bonds maintained by the Wyoming State Office. These riders will be forward to them for their acceptance.

The Nationwide Oil & Gas Continental Casualty Company Bond #158626364 (BLM Bond #CO1203), maintained by the Colorado State Office, will remain in full force and effect until an assumption rider is accepted by the Wyoming State Office that conditions their Nationwide Safeco bond to accept all outstanding liability on the oil and gas leases attached to the Colorado bond.

If you have questions about this action you may call me at 303.239.3768.

/s/Martha L. Maxwell Martha L. Maxwell Land Law Examiner Fluid Minerals Adjudication

Attachment:

List of OG Leases to each of the following offices:
MMS MRM, MS 357B-1
WY, UT, NM/OK/TX, MT/ND, WY State Offices
CO Field Offices
Wyoming State Office

Rider #1 to Bond WY2357 Rider #2 to Bond WY1865 Rider #3 to Bond WY1127



United States Department of the Interior



BUREAU OF LAND MANAGEMENT Utah State Office P.O. Box 45155 Salt Lake City, UT 84145-0155 http://www.blm.gov

IN REPLY REFER TO: 3106 (UT-922)

March 27, 2006

Memorandum

To:

Vernal Field Office

From:

Chief, Branch of Fluid Minerals

Subject:

Merger Approval

Attached is an approved copy of the merger recognized by the Bureau of Land Management, Colorado State Office. We have updated our records to reflect the merger from Westport Oil and Gas Company L.P. into Kerr-McGee Onshore Oil and Gas Company. The merger was approved effective January 4, 2006.

Chief, Branch of Fluid Minerals

Enclosure

Approval letter from BLM COSO (2 pp)

ĊC:

MMS, Reference Data Branch, James Sykes, PO Box 25165, Denver CO 80225

State of Utah, DOGM, Attn. Earlene Russell, PO Box 145801, SLC UT 84114

Teresa Thompson

Joe Incardine

Connie Seare

Dave Mascarenas

Susan Bauman

MAR 2 8 2006

EM OF CT., 0:00 2 17 12 13

2077' FNL, 1729' FWL

UNITED STATES DEPARTMENT OF THE INTERIOR

Location of Well (Footage, Sec., T., R., M., or Survey Description)

FORM APPROVED OMB No. 1004-0135 Expires Inovember 30, 2000

NATURAL BUTTES

11. County or Parish, State

5. Lease Serial No. BUREAU OF LAND MANAGEMENT

SUNDRY NOTICES AND REPORTS ON WELLS Do not use this form for proposals to drill or reenter an abandoned well. Use Form 3160-3 (APD) for such proposals.	U-01196-A 6. If Indian, Allottee or Tribe Name		
SUBMIT IN TRIPLICATE – Other instructions on reverse side	7. If Unit or CA/Agreement, Name and/or No.		
1. Type of Well Oil Well Gas Well Other 2. Name of Operator	8. Well Name and No. FEDERAL 1022-15F		
KERR MCGEE OIL & GAS ONSHORE LP	9. API Well No. 4304734839		
3a. Address 1368 S. 1200 E. VERNAL, UT 84078 (435)781-7003	10. Field and Pool, or Exploratory Area		

SWNW, SEC 15-T10S-R22	E		UINTAH C	OUNTY, UTAH
12. CHECK API	PROPRIATE BOX(ES) TO	INDICATE NATURE	OF NOTICE, REPORT, OR C	OTHER DATA
TYPE OF SUBMISSION		TYI	PE OF ACTION	
Notice of Intent	Acidize Alter Casing	Deepen Fracture Treat	Production (Start/Resume) Reclamation	Water Shut-Off Well Integrity
Subsequent Report	Casing Repair Change Plans	New Construction Plug and Abandon	Recomplete Temporarily Abandon	MAINTENECE
Final Abandonment Notice	Convert to Injection	Plug Back	Water Disposal	

13. Describe Proposed or Completed Operations (clearly state all pertinent details, including estimated starting date of any proposed work and approximate duration ther If the proposal is to deepen directionally or recomplete horizontally, give subsurface locations and measured and true vertical depths of all pertinent markers and zon Attach the Bond under which the work will be performed or provide the Bond No. on file with BLM/BIA. Required subsequent reports shall be filed within 30 d following completion of the involved operations. If the operation results in a multiple completion or recompletion in a new interval, a Form 3160-4 shall be filed o testing has been completed. Final Abandonment Notices shall be filed only after all requirements, including reclamation, have been completed, and the operator determined that the site is ready for final inspection.

03/15/07 R7:00 AM HSM. HAD RIG RIGED UP DAY BEFORE.300 PSI ON CSG. BLOW WELL. PUMP 30 BBLS DOWN TBG. 30 BBLS DOWN CSG, KILL WELL. ND WELLHEAD, NU BOP. UNLAND TBG.TBG DRUG HARD FOR 6 JTS. POOH W/ TBG.249 JTS 23/8" TBG, POBS.LD 3 BOTTOM JTS, SCALE.PU NEW 37/8" MILL, POBS, R-NIPPLE. RIH W/ 23/8" TBG GOT TO 2600'. SWI 5:00 PM

7:00 AM HSM. OPEN WELL. RIH, TAG SCALE @ 8115. RU DRILL EQUIP & FOAM UNIT. BROKE CONV CIR.DRILL 3/16/2007 DOWN TO PBTD @ 8253'. CIR WELL CLEAN. POOH LD EXCESS TBG. 240 JTS IN WELL, LAND TBG. EOT @ 7559.03. SWI 5:30 PM

03/19/077:00 AM. HSM. OPEN WELL 600PSI. PUMP DOWN TBG. ND BOP, NU WELLHEAD. DROP BALL POBS. BROACH TBG TO 7: RD RIG MOVE OFF 11:00 AM

RECEIVED

MAY 2 9 2007

			MAI 2 3 2007
14. I hereby certify that the foregoing is true and correct Name (Printed/Typed) Ramey Haopes	Title	Land Specialist I	DIV. OF OIL, GAS & MINING
Signature Kamuu Honneld	Date	May 10, 2007	
THIS SPACE FO	R FEDERAL OR	STATE USE	
Approved by	Title	Date	
Conditions of approval, if any, are attached. Approval of this notice does not warran certify that the applicant holds legal or equitable title to those rights in the subject I which would entitle the applicant to conduct operations thereon.	ease		
Title 18 U.S.C. Section 1001, make it a crime for any person knowing false, fictitious or fraudulent statements or representations as to any ma	gly and willfully t tter within its juris	o make to any department or agency diction.	of the United States any

STATE OF UTAH

SIMILO	I O I AII
DEPARTMENT OF NAT	FURAL RESOURCES
DIVISION OF OIL, O	GAS AND MINING

ENTITY ACTION FORM

perator:	1/11/1/1	McGEE OIL & GAS ON	VOLIONE EI	_ Оре	rator Ac	count Nu	ımber: _	N zaao	
ddress:	1368 S	OUTH 1200 EAST							
<u> </u>	city VE	RNAL							
<u> </u>	state U	Т	zip 84078		Р	hone Nu	mber: _	(435) 781-7024	
Well 1									
API Num	ber	Well	Name	QQ	Sec	Twp	Rng	County	
Variou	Various NBU REVISION							UINTAH	
Action Co	Action Code Current Entity New Entity Number Number			S	pud Dat	te	Entity Assignment Effective Date		
E		Various	2900		3/13/201	2	2/1/2012		
Comments:	MOVI	E THE ATTACHED WE 12012. 72 W.C.	ELLS INTO THE NATI	JRAL BUT	TES UN	IT REVI	SION EF	731/3012	
API Num	ber	Well	Name	QQ	Sec	Twp	Rng	County	
Action Co		Current Entity Number	New Entity Number	s	pud Dat			tity Assignment Effective Date	
Action Co	ode			S	Spud Dat				
	ode :	Number		QQ	Spud Dat				
Action Conments:	ode :	Number	Number	QQ		Twp	Rng	Effective Date	

ACTION CODES:

A - Establish new entity for new well (single well only)

B - Add new well to existing entity (group or unit well)

C - Re-assign well from one existing entity to another existing entity

D - Re-assign well from one existing entity to a new entity

E - Other (Explain in 'comments' section)

RECEIVED

REGULATORY ANALYST

SHEILA WOPSOCK

Title

Signature

Name (Please-Print)

5/30/2012

Date

(5/2000)

MAY 3 1 2012

Entity Action Form Attachment for wells moved into the Natural Buttes Unit Effective 02/01/2012.

		orial entit	1		
API	Well Name	QTR/QTR JSection	TWNSHP	RANGE	Producing Intervals
4304737079	FEDERAL <u>92</u> 0-251	NESE 15431	25 98	20E	WASATCH/MESAVERDE
4304737080	FEDERAL 920-25H	SENE 15761	25 9S	20E	WASATCH/MESAVERDE
4304737081	FEDERAL 920-25A	NENE 15553	25 9S	20E	WASATCH/MESAVERDE from MV
4304739098	STATE 1021-28M	swsw /6499	28 10S	21E	WASATCH TO WSMVD
4304737918	FEDERAL 1021-26L	NWSW 16390	26 10S	21E	MESAVERDE TO WS7M/D
4304737919	FEDERAL 1021-26N	SESW 16391	26 10S	21E	WASATCH/MESAVERDE
4304737916	FEDERAL 1021-250	SWSE 14277	25 10S	<u>21</u> E	WASATCH/MESAVERDE
4304739112	STATE 1021-31M	swsw 16454	31 105	21E	WASATCH TO WSMVD
4304739127	STATE 1021-32P	SESE /6471	32 10S	21E	WASATCH/MESAVERDE
4304739128	STATE 1021-320	SWSE 17513	32 10S	_21E	WASATCH/MESAVERDE
4304739131	STATE 1021-32L	NWSW 16902	32 10S	21E	WASATCH/MESAVERDE
4304739133	STATE 1021-32J	NWSE 17529	32 10S	21E	WASATCH/MESAVERDE
4304739134	STATE 1021-321	NESE 16905	32 10S	21E	WSMVD
4304739135	STATE 1021-32H	SENE 17528	32 10S	21E	WASATCH/MESAVERDE
4304735714	FEDERAL 1022-29H	SENE /5/47	29 10S	22E	WASATCH/MESAVERDE
4304735715	FEDERAL 1022-29F	SENW 15162	29 10S	22E	WASATCH/MESAVERDE
4304735716	FEDERAL 1022-29B	NWNE 11/982	29 10S	22E	WASATCH/MESAVERDE
4304735737	FEDERAL 1022-291	NESE 15001	29 10S	22E	WASATCH/MESAVERDE
4304735738	FEDERAL 1022-29D	NWNW 15016	29 105	22E	MESAVERDE TO WS TO VD
4304734862	FEDERAL 31-10-22	SESE 13879	31 10S	22E	MESAVERDE TO WSTMVD
4304735173	FEDERAL 1022-31D	NWNW 14/32	31 10S	22E	WASATCH/MESAVERDE
4304736492	FEDERAL 1022-31N	SESW 14255	'31 10S	22E	WASATCH/MESAVERDE
4304736493	FEDERAL 1022-311	NESE 15089	31 10S	22E	WASATCH/MESAVERDE
4304736494	FEDERAL 1022-31G_	SWNE 15075	31 10S	22E	WASATCH/MESAVERDE
4304736495	FEDERAL 1022-31F_	SENE 1523D	31 10S	22E	WASATCH/MESAVERDE
4304736574	FEDERAL 1022-31C_	NENW 15090	31 10S	22E	WASATCH/MESAVERDE
4304736575	FEDERAL 1022-31J_	NWSE 15214	31 10S	22E	WASATCH/MESAVERDE
4304736576	FEDERAL 1022-31L	NWSW 16276	31 10S	22E	WASATCH/MESAVERDE
4304734317	STATE 1-32	NESW 13419	32 10S	22E	WASATCH/MESAVERDE
4304734831	STATE 2-32	SESW 13842	32 10S	22E	MESAVERDE TO WSMVD
4304734832	STATE 3-32	NWSW 13844	32 10S	22E	WASATCH/MESAVERDE
4304735095	STATE 1022-32J	NWSE 11+097	32 10S	22E	WSMVD
4304735096	STATE 1022-32A	NENE 13914	32 10S	22E	WASATCH/MESAVERDE
4304735186	STATE 1022-32P	SESE 14131	32 10S	22 E	MESAVERDE TO WSMVD
4304735315	STATE 1022-320	SWSE 14114	32 10S	22E	WASATCH/MESAVERDE
4304735647	STATE 1022-32H	SENE 14348	32 10S	22E	MESAVERDE TO WSMVD
4304736413	STATE 1021-360	SWSE /5619	36 10S	21E	WASATCH/MESAVERDE
¥ 4304738157	WELL BELONGS TO	QEP ENERGY CORP "	GH 8-20-8-21"	PERMIT NO	T APPROVED
4304734839	FEDERAL 1022-15F	SENW 14618	15 10S	22E	WASATCH/MESAVERDE
4304736414	STATE 1021-36J	NWSE 15651	36 10S	21E	WASATCH/MESAVERDE
4304738152	STATE 1021-36L	NWSW 16012	36 10S	21E	WASATCH/MESAVERDE
4304735440	FEDERAL 1022-15J	NWSE 14617	15 10S	22E	WASATCH/MESAVERDE
4304736415	STATE 1021-36I	NESE 15684	36 10S	21E	WASATCH/MESAVERDE
4304738845	STATE 1021-36D	NWNW 16455	36 10S	21E	WASATCH/MESAVERDE

4304750096 FEDERAL 1022-27H	SENE 17626	27 10S	22E	WASATCH/MESAVERDE
4304736416 STATE 1021-36H	SENE 15335	36 10S	21E	WASATCH/MESAVERDE
4304738846 STATE 1021-36E	SWNW 16523	36 10S	21E	WASATCH/MESAVERDE
4304735676 FEDERAL 1022-28L	NWSW 15110	28 10S	22E	WASATCH/MESAVERDE
4304736417 STATE 1021-36G	SWNE 15291	36 10S	21E	WASATCH/MESAVERDE
4304738847 STATE 1021 <u>-36F</u>	SENW 16394	₹36 10S	21E	WASATCH/MESAVERDE
4304735713 FEDERAL 1022-28N	SESW 15145	28 10S	22E	WASATCH/MESAVERDE
4304736418 STATE 1021-36B	NWNE 14953	36 10S	21E	WASATCH/MESAVERDE
4304738848 STATE 1021-36N	SESW 16359	36 10S	21E	WASATCH/MESAVERDE
4304735735 FEDERAL 1022-280	SWSE 15285	28 10S	22E	WASATCH/MESAVERDE From MURD
4304736419 STATE 1021-36A	NENE /5035	36 10S	21E	WASATCH/MESAVERDE
4304738849 STATE 1021-36K	NESW 16084	36 10S	21E	WASATCH/MESAVERDE
4304735736 FEDERAL 1022-28M	swsw 15286	28 10S	22E	WASATCH/MESAVERDE
4304736420 STATE 1021-36P	SESE 15372	36 10S	21E	WASATCH/MESAVERDE
4304738850 STATE 1021-36C	NENW /6396	36 10S	21E	WASATCH/MESAVERDE
4304734861 FEDERAL 29-10-22	SESE 14006	29 10S	22E	MESAVERDE TO WSMVD
4304735577 FEDERAL 1022-330	SWSE 15080	33 10S	22E	WASATCH/MESAVERDE
4304735739 FEDERAL 1022-33E	SWNW 15193	33 10S	22E	WASATCH/MESAVERDE
4304735740 FEDERAL 1022-33M	swsw /5373	33 10S	22E	WASATCH/MESAVERDE
4304735741 FEDERAL 1022-33L	NWSW /5511	33 10S	22E	WASATCH/MESAVERDE
4304735742 FEDERAL 1022-33G	SWNE 15404	33 10S	22E	WASATCH/MESAVERDE From MURD
4304735743 FEDERAL 1022-33C	NENW 15405	33 10S	22E	WASATCH/MESAVERDE
4304735744 FEDERAL 1022-33A	NENE /5539	33 10S	22E	WASATCH/MESAVERDE
4304737105 FEDERAL 1022-33D	NWNW 16502	33 10S	22E	WASATCH/MESAVERDE
4304737106 FEDERAL 1022-33F	SENW 16560	33 10S	22E	WASATCH/MESAVERDE From WSTC
4304737107 FEDERAL 1022-33K	NESW 16124	33 10S	22E	WASATCH/MESAVERDE
4304737109 FEDERAL 1022-33N	SESW /6/26	33 10S	22E	WASATCH/MESAVERDE
4304737110 FEDERAL 1022-33B	NWNE /6561	33 1 0S	22E	WASATCH/MESAVERDE
4304735810 STATE 1021-36E	SWNW 14395	36 10S	21E	WASATCH/MESAVERDE